



TASK FORCE DUTERTE - ABRA POWER (TFD-AP)
ABRA ELECTRIC COOPERATIVE
Bangued, Abra



January 11, 2021

REQUEST FOR QUOTATION

The Abra Electric Cooperative through its Bids and Awards Committee, hereby invites all interested suppliers/distributors to quote their lowest price for the supply and delivery of the item/s listed below and submit the same through email at abrecobac@gmail.com not later than January 15, 2021.

LINE HARDWARE

ITEM NO.	SPECIFICATION	QUANTITY
1	Anchor, Expanding, 8-ways, Hot Dip Galvanized	300
2	Attachment, Guy, Malleable Type, 11/16" Hole Diameter	300
3	Bolt, Carriage 3/8" x 5", Hot Dip Galvanized	200
4	Bolt, Carriage 3/8" x 6", Hot Dip Galvanized	250
5	Bolt, Double Arming 5/8" x 18", Hot Dip Galvanized	250
6	Bolt, Double Arming 5/8" x 20", Hot Dip Galvanized	250
7	Bolt, Double Arming 5/8" x 22", Hot Dip Galvanized	250
8	Bolt, Double Arming 5/8" x 24", Hot Dip Galvanized	50
9	Bolt, Double Upset 5/8" x 10", Hot Dip Galvanized, Forged	100
10	Bolt, Double Upset 5/8" x 12", Hot Dip Galvanized, Forged	150
11	Bolt, Double Upset 5/8" x 14", Hot Dip Galvanized, Forged	150
12	Bolt, Machine 1/2" x 6" , Hot Dip Galvanized	100
13	Bolt, Machine 1/2" x 10" , Hot Dip Galvanized	50
14	Bolt, Machine 1/2" x 12" , Hot Dip Galvanized	70
15	Bolt, Machine 1/2" x 14", Hot Dip Galvanized	100
16	Bolt, Machine 5/8" x 8", Hot Dip Galvanized	300
17	Bolt, Machine 5/8" x 10", Hot Dip Galvanized	150
18	Bolt, Machine 5/8" x 12", Hot Dip Galvanized	200
19	Bolt, Machine 5/8" x 14", Hot Dip Galvanized	100
20	Bolt, Machine 5/8" x 16", Hot Dip Galvanized	60
21	Bolt, Machine 5/8" x 18", Hot Dip Galvanized	100
22	Bolt, Oval Eye 5/8" x 10", Hot Dip Galvanized, Forged	96
23	Bolt, Oval Eye 5/8" x 12", Hot Dip Galvanized, Forged	100
24	Bolt, Oval Eye 5/8" x 14", Hot Dip Galvanized, Forged	100
25	Bolt, Oval Eye 5/8" x 16", Hot Dip Galvanized, Forged	100
26	Bolt, Single Upset 5/8" x 8", Hot Dip Galvanized, Forged	100



TASK FORCE DUTERTE - ABRA POWER (TFD-AP)

ABRA ELECTRIC COOPERATIVE

Bangued, Abra



27	Bolt, Single Upset 5/8" x 10", Hot Dip Galvanized, Forged	130
28	Bolt, Single Upset 5/8" x 12", Hot Dip Galvanized, Forged	80
29	Bolt, Single Upset 5/8" x 14", Hot Dip Galvanized, Forged	150
30	Bolt, Thimble Eye 5/8" x 10", Angle Type, HDG, Forged	60
31	Bolt, Thimble Eye 5/8" x 12", Angle Type, HDG, Forged	100
32	Bolt, Thimble Eye 5/8" x 14", Angle Type, HDG, Forged	100
33	Brace, Cross-arm, 18" Drop 60" Span	30
34	Brace, Cross-arm, Flat 28", Steel, Hot Dip Galvanized	60
35	Brace, Sidearm, Diagonal, 7', Steel, Hot Dip Galvanized	20
36	Brace, Sidearm, Vertical	50
37	Bracket, Clevis Deadend Without Spool	200
38	Bracket, Secondary Without Spool	100
39	Clamp, Anchor Bonding, Single Eye Rod 5/8"	300
40	Clamp, Dead-end, Strain, #1/0 ACSR	200
41	Clamp, Dead-end, Strain, #4/0 ACSR	100
42	Clamp, Guy Straight, 3 Bolt, Heavy Duty Steel, Hot Dip Galvanized	300
43	Clamp, Hotline, #2 - #4/0 ACSR	120
44	Clamp, Loop Dead-end, #6 - #2/0 ACSR	300
45	Clamp, Pole Mounting Adapter (6-7), Type CA	100
46	Clamp, Pole Mounting Adapter (7-8), Type CA	100
47	Clamp, Pole Mounting Adapter (8-9), Type CA	100
48	Clamp, Suspension, Alluminum Alloy Clevis, 2 Bolts, #2/0 ACSR Max	100
49	Clamp, Suspension, #4 - #4/0 ACSR	200
50	Clevis, Secondary Swinging Without Spool, Hot Dip Galvanized	300
51	Connector, Ampact, wedge Type, #2/0 - #2/0 ACSR	50
52	Hook, Guy, 5/8", Hot Dip Galvanized	50
53	Insulator, Pin Type, Porcelain, ANSI, Class 55-5	300
54	Insulator, Spool, 3", ANSI, Class 53-4	300
55	Insulator, Suspension, Clevis Type, Porcelain 6", ANSI, Class 52-1	350
56	Screw, Lag, 1/2" x 4"	100
57	Screw, Lag, 1/2" x 6"	50
58	Nut, Eye, 5/8", Conventional, Hot Dip, Galvanized	50
59	Nut, Thimble Eye, 5/8", Single eye, Hot Dip Galvanized	100
60	Pin, Cross-arm, 5/8" x 13-3/4", Hot Dip Galvanized	500
61	Pin, Pole Top, Channel, 1" Thread, 20" Long, Hot Dip Galvanized	150
62	Rod, Anchor, Single Eye, 5/8" x 8', Hot Dip Galvanized, Forged	300
63	Shackle, Anchor, 5/8", Forged Steel, Hot Dip Galvanized	100



TASK FORCE DUTERTE - ABRA POWER (TFD-AP)
ABRA ELECTRIC COOPERATIVE
Bangued, Abra



64	Wire, Ground, Galvanized, 3 Strand, 5/16" Dia (ft)	2500
65	Wire, Guy, 3/8", 7 Strand, High Strength (ft)	2500
66	Wire, Tie, Aluminum Alloy, Soft, #4 AWG (ft)	2500


Terms and Conditions:

- a) Quotations shall be attached with brochures / pictures.
- b) Quotations must be valid for thirty (30) calendar days upon receipt.
- c) Quotations must be submitted before the deadline. Late bids will not be considered for evaluation.
- d) Payment shall be made within 30 calendar days upon delivery.

For further inquiries, please coordinate with the BAC secretariat at 09661937757.


SANTIAGO WILSON O. BOLANTE
BAC Chairman

Noted:


ENGR. VICTOR L. BAULA
Acting General Manager
11/11/21