



**INVITATION TO BID No. 2022-007**

The Zamboanga City Electric Cooperative, Inc. (ZAMCELCO) through its Bids and Awards Committee (BAC), invites all interested parties to participate in the Public Bidding for the following items:

- I. **LOT 1: RIGHT-OF-WAY CLEARING OF ZAMCELCO DISTRIBUTION LINES UNDER EA2 (SAN JOSE GUSU & CABATANGAN SS)**  
PR No. 100000472 requested by Network Services Department

AREA	AMOUNT PER KM	LENGTH
EA2 (SAN JOSE GUSU & CABATANGAN SS)	PHP 2,800.00	133.45

- > APPROVED BUDGET FOR THE CONTRACT : Php 373, 660.00
- > SOURCE OF FUNDS : GENERAL FUND
- > COST OF BID DOCUMENTS IN PHP : Php 500.00
- > BIDDING STATUS : 2ND BIDDING (SIMPLIFIED)

- II. **LOT 2: RIGHT-OF-WAY CLEARING OF ZAMCELCO DISTRIBUTION LINES UNDER EA4 (AYALA AND RECODO SS)**  
PR No. 100000470 requested by Network Services Department

AREA	AMOUNT PER KM	LENGTH
EA4 (AYALA AND RECODO SS)	PHP 2,800.00	141.35

- > APPROVED BUDGET FOR THE CONTRACT : Php 395, 780.00
- > SOURCE OF FUNDS : GENERAL FUND
- > COST OF BID DOCUMENTS IN PHP : Php 500.00
- > BIDDING STATUS : 2ND BIDDING (SIMPLIFIED)

- III. **LOT 3: RIGHT-OF-WAY CLEARING OF ZAMCELCO DISTRIBUTION LINES UNDER EA5 (CAMANCHILE SS)**  
PR No. 100000471 requested by Network Services Department

AREA	AMOUNT PER KM	LENGTH
EA5 (CAMANCHILE SS)	PHP 2,800.00	45.83

- > APPROVED BUDGET FOR THE CONTRACT : Php 128, 324.00
- > SOURCE OF FUNDS : GENERAL FUND
- > COST OF BID DOCUMENTS IN PHP : Php 500.00
- > BIDDING STATUS : 2ND BIDDING (SIMPLIFIED)

- IV. **LOT 4: LABOR COST FOR THE REHABILITATION OF RECODO AND SINUNUC FEEDER FROM #4/0 ACSR TO 336.4MCM ACSR**

- > APPROVED BUDGET FOR THE CONTRACT : Php 4, 869, 683.06
- > SOURCE OF FUNDS : CAPEX FUND
- > COST OF BID DOCUMENTS IN PHP : Php 5, 000.00
- > BIDDING STATUS : 2ND BIDDING

- V. **LOT 5: VARIOUS LINE MATERIALS AND TRANSFORMER BUSHING**  
PR No. 100000747 requested by Network Services Department  
PR No. 100000748 requested by Network Services Department

Item No.	ITEM DESCRIPTION	Unit	Qty
1.	ANCHOR, EXPANDING 8-WAYS, HOT DIP GALVANIZED, 10,000LBS	PC/S	172
2.	SHACKLE, ANCHOR, 3/4", DROP FORGED STEEL, 69KV	PC/S	5
3.	BOLT, CARRIAGE, 3/8 X 5, HOT DIP GALV.	PC/S	25
4.	BOLT, CARRIAGE, 3/8 X 6, HOT DIP GALV.	PC/S	30
5.	BOLT, CARRIAGE, 3/8 X 4-1/2, HOT DIP GALV.	PC/S	127
6.	BOLT, DOUBLE ARMING, 5/8 X 18, HOT DIP GALV.	PC/S	6
7.	BOLT, DOUBLE ARMING, 5/8 X 20, HOT DIP GALV.	PC/S	38
8.	BOLT, DOUBLE ARMING, 5/8 X 22, HOT DIP GALV.	PC/S	77
9.	BOLT, DOUBLE ARMING, 5/8 X 24, HOT DIP GALV.	PC/S	62
10.	BOLT, DOUBLE UPSET, 5/8 X 8, HOT DIP GALV.	PC/S	3
11.	BOLT, DOUBLE UPSET, 5/8 X 10, HOT DIP GALV.	PC/S	139
12.	BOLT, DOUBLE UPSET, 5/8 X 12, HOT DIP GALV.	PC/S	41
13.	BOLT, DOUBLE UPSET, 5/8 X 14, HOT DIP GALV.	PC/S	5
14.	BOLT, DOUBLE UPSET, 5/8 X 16, HOT DIP GALV.	PC/S	3
15.	BOLT, MACHINE, 1/2" X 4", HOT DIP GALV.	PC/S	78
16.	BOLT, MACHINE, 1/2 X 6, HOT DIP GALV.	PC/S	362
17.	BOLT, MACHINE, 1/2 X 10, HOT DIP GALV.	PC/S	42
18.	BOLT, MACHINE, 1/2 X 12, HOT DIP GALV.	PC/S	12
19.	BOLT, MACHINE, 5/8 X 4, HOT DIP GALV.	PC/S	8
20.	BOLT, MACHINE, 5/8 X 6, HOT DIP GALV.	PC/S	38
21.	BOLT, MACHINE, 5/8 X 8, HOT DIP GALV.	PC/S	220
22.	BOLT, MACHINE, 5/8 X 9, HOT DIP GALV.	PC/S	90

*Handwritten signature*



**THE NEW ZAMCELCO**  
Zamboanga City Electric Cooperative, Inc.

23.	BOLT, MACHINE, 5/8 X 10, HOT DIP GALV.	PC/S	148
24.	BOLT, MACHINE, 5/8 X 12, HOT DIP GALV.	PC/S	247
25.	BOLT, MACHINE, 5/8 X 14, HOT DIP GALV.	PC/S	94
26.	BOLT, MACHINE, 5/8 X 16, HOT DIP GALV.	PC/S	63
27.	BOLT, MACHINE, 5/8 X 18, HOT DIP GALV.	PC/S	133
28.	BOLT, OVAL EYE, 5/8 X 8, HOT DIP GALV.	PC/S	50
29.	BOLT, OVAL EYE, 5/8 X 10, HOT DIP GALV.	PC/S	138
30.	BOLT, OVAL EYE, 5/8 X 12, HOT DIP GALV.	PC/S	90
31.	BOLT, OVAL EYE, 5/8 X 16, HOT DIP GALV.	PC/S	72
32.	BOLT, OVAL EYE, 5/8 X 18, HOT DIP GALV.	PC/S	7
33.	BOLT, SINGLE UPSET, 5/8 X 8, HOT DIP GALV.	PC/S	60
34.	BOLT, SINGLE UPSET, 5/8 X 9, HOT DIP GALV.	PC/S	20
35.	BOLT, SINGLE UPSET, 5/8 X 10, HOT DIP GALV.	PC/S	112
36.	BOLT, SINGLE UPSET, 5/8 X 12, HOT DIP GALV.	PC/S	27
37.	BOLT, SINGLE UPSET, 5/8 X 14, HOT DIP GALV.	PC/S	6
38.	BOLT, SINGLE UPSET, 5/8 X 18, HOT DIP GALV.	PC/S	5
39.	BOLT, THIMBLE EYE, 5/8 X 9, STRAIGHT TYPE, HOT DIP GALV.	PC/S	4
40.	BOLT, THIMBLE EYE, 5/8 X 12, STRAIGHT TYPE, HOT DIP GALV.	PC/S	3
41.	BOLT, THIMBLE EYE, 5/8 X 14, STRAIGHT TYPE, HOT DIP GALV.	PC/S	3
42.	BRACE, SIDEARM, DIAGONAL, 7', STEEL, HOT DIP GALV.	PC/S	202
43.	BRACE, CROSSARM, FLAT, 28", HOT DIP GALV.	PC/S	122
44.	BRACE, CROSSARM, 18 DROP 60 SPAN, HOT DIP GALV.	PC/S	140
45.	BRACE, SIDEARM, VERTICAL	PC/S	67
46.	BRACKET, MOUNTING FOR FUSE CUT-OUT & ARRESTER	PC/S	25
47.	BRACKET, SECONDARY WITHOUT SPOOL	PC/S	185
48.	CLAMP, ANCHOR BONDING, SINGLE EYE ROD, 5/8	PC/S	67
49.	CLAMP, HOTLINE, #2 - 4/0 ACSR	PC/S	71
50.	CLAMP, HOTLINE, LINE STIRRUP, #2 -#336.4 ACSR	PC/S	25
51.	CLAMP, POLE MOUNTING ADAPTER, 5-6, HOT DIP GALV., SINGLE-SUPPORT	PC/S	20
52.	CLAMP, POLE MOUNTING ADAPTER, 6-7, HOT DIP GALV., SINGLE SUPPORT	PC/S	36
53.	CLAMP, POLE MOUNTING ADAPTER, 7-8, HOT DIP GALV., SINGLE-SUPPORT	PC/S	50
54.	CLAMP, POLE MOUNTING ADAPTER, 8-9, HOT DIP GALV., SINGLE-SUPPORT	PC/S	63
55.	CLAMP, POLE MOUNTING ADAPTER, 11-12, HOT DIP GALV., SINGLE SUPPORT	PC/S	24
56.	CLAMP, LOOP DEAD-END, #4/0 ACSR	PC/S	70
57.	CLAMP, LOOP DEAD-END, #2 ACSR	PC/S	70
58.	CLAMP, LOOP DEAD-END, #2/0 ACSR	PC/S	167
59.	CLAMP, LOOP DEAD-END, #1/0 ACSR	PC/S	176
60.	CLAMP, DEAD-END STRAIN, #2 ACSR	PC/S	60
61.	CLAMP, DEAD-END STRAIN, #1/0 ACSR	PC/S	90
62.	CLAMP, DEAD-END STRAIN, #4/0 ACSR	PC/S	202
63.	CLAMP, SUSPENSION, #4 - #4/0 ACSR	PC/S	15
64.	CLAMP, GROUND WIRE, DEAD-END, STRAIN, CLEVIS TYPE	PC/S	3
65.	CLAMP, GUY, STRAIGHT, 3-BOLT, HEAVY DUTY STEEL, HOT hahahaDIP GALV.	PC/S	317
66.	CLEVIS, SECONDARY, SWINGING W/O SPOOL, HOT DIP GALV.	PC/S	445
67.	CONNECTOR, COMPRESSION, #6 - #4 ACSR RUN TO #6 -#4	PC/S	1450
68.	CONNECTOR, COMPRESSION, YHO 150, #3 - #1/0 - TAP #6 - #2	PC/S	1437
69.	CONNECTOR, COMPRESSION, YHD 200, #1/0 - #2/0 - TAP #6 - #2	PC/S	240
70.	CONNECTOR, COMPRESSION, YHD 250, #1 - #4/0 - TAP #6 - #2	PC/S	540
71.	CONNECTOR, COMPRESSION, YHD 300, #1/0 - #2/0 - TAP #1/0 - #2/0	PC/S	98
72.	CONNECTOR, COMPRESSION, YHD 350, #3/0 - #4/0 - TAP #1 - #2/0	PC/S	863
73.	CONNECTOR, COMPRESSION, YHD 400, #2/0 - #4/0 - TAP #2/0 - #4/0	PC/S	340
74.	CONNECTOR, GROUND CLAMP, 5/8, HOT DIP GALV.	PC/S	468
75.	CROSSARM, STEEL, 3" X 4" X 8", 3MM, HOT DIP GALV.	PC/S	145
76.	CROSSARM, STEEL, 3" X 4" X 10", 3MM, HOT DIP GALV.	PC/S	134
77.	TAPE, ELECTRICAL, BIG	ROLL/S	4740
78.	FUSE, CUT-OUT AND ARRESTER COMBINATION, 100 AMP, 15KV	SET/S	8
79.	FUSE, CUT-OUT AND ARRESTER COMBINATION, 200 AMP, 15KV	SET/S	14
80.	HOOK, GUY, 5/8, HOT DIP GALV.	PC/S	311
81.	INSULATOR, POST, 15KV	PC/S	10
82.	INSULATOR, SPOOL, 3", ANSI, CLASS 53-4	PC/S	430
83.	INSULATOR, SPOOL, 1-3/8, ANSI, CLASS 53-1	PC/S	8
84.	INSULATOR, SPOOL, 1-3/4", ANSI, CLASS 53-2	PC/S	563
85.	INSULATOR, PIN TYPE, HDPE, ANSI, CLASS 55-5, 25KV	PC/S	806
86.	INSULATOR, SUSPENSION, 4 SHED, POLYMER, 15KV	PC/S	343
87.	INSULATOR, PIN TYPE, PORCELAIN, ANSI, CLASS 55-4	PC/S	11
88.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A	PC/S	14
89.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 10A	PC/S	149
90.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 12A	PC/S	143
91.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 15A	PC/S	97
92.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 20A	PC/S	97
93.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 25A	PC/S	35
94.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A	PC/S	85
95.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A	PC/S	30
96.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3A	PC/S	40
97.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A	PC/S	40
98.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A	PC/S	35
99.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A	PC/S	45
100.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A	PC/S	30 991.21 7
101.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A	PC/S	35

0917-307-1412

0917-302-6629

management@zamcelco.com.ph  
help-desk@zamcelco.com.ph

MCLL Highway, Putik,  
Zamboanga City

*Handwritten signature/initials*



# THE NEW ZAMCELCO

Zamboanga City Electric Cooperative, Inc.

102.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A	PC/S	55
103.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A	PC/S	30
104.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A	PC/S	145
105.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A	PC/S	50
106.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A	PC/S	150
107.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A	PC/S	70
108.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A	PC/S	50
109.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 100A	PC/S	50
110.	NUT, LOCK, 5/8, MF TYPE	PC/S	1071
111.	NUT, LOCK, 3/8, MF TYPE	PC/S	84
112.	NUT, LOCK, 1/2, MF TYPE	PC/S	134
113.	NUT, OVAL EYE, 3/4", CONVENTIONAL, HOT DIP GALV.	PC/S	100
114.	NUT, OVAL EYE, 5/8, CONVENTIONAL, HOT DIP GALV.	PC/S	234
115.	NUT, THIMBLE EYE, 5/8 SINGLE EYE, HOT DIP GALV.	PC/S	40
116.	PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALV.	PC/S	527
117.	PIN, POLE TOP CHANNEL, 1 THREAD, 20 LONG, HOT DIP GALV.	PC/S	172
118.	PLATE, GUY	PC/S	10
119.	ROD, ANCHOR, THREADED, 5/8 X 8, HOT DIP GALV., SINGLE EYE	PC/S	113
120.	ROD, ANCHOR, THIMBLE EYE, 5/8" X 7", HOT DIP GALV.	PC/S	14
121.	ROD, ANCHOR, THREADED, 5/8" X 7", HOT DIP GALV., SINGLE EYE	PC/S	33
122.	ROD, GROUND STEEL, 5/8 X 10', HOT DIP GALV.	PC/S	379
123.	ROD, TAPPING, PREFORMED, #2 ACSR	SET/S	35
124.	ROD, TAPPING, PREFORMED, #1/0 ACSR	PC/S	30
125.	ROD, TAPPING, PREFORMED, #4/0 ACSR	SET/S	25
126.	SHACKLE, ANCHOR, 1/2", FORGED STEEL, HOT DIP GALV.	PC/S	12
127.	SHACKLE, ANCHOR, 5/8, FORGED STEEL, HOT DIP GALV.	PC/S	5
128.	WASHER, SQUARE, FLAT, 2 1/4 X 2 1/4 X 3/16	PC/S	1793
129.	WASHER, SQUARE, FLAT, 4 X 4 X 3/16	PC/S	75
130.	WASHER, ROUND, 1 3/8 DIA. W/ 9/16" DIA. HOLE	PC/S	96
131.	WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY	FT	7981
132.	WIRE, GUY, STEEL, 5/16, 7 STRAND, HIGH STRENGTH	FT	100
133.	WIRE, GUY, STEEL, 3/8, 7 STRAND, HIGH STRENGTH	FT	6658
134.	WIRE, TIE ALUMINUM ALLOY #4 SOFT	FT	1314
135.	BUSHING, SECONDARY TERMINAL, PORCELAIN, FOR 25KVA DIST. TRANSFORMER	PC/S	100
136.	BUSHING, SECONDARY TERMINAL, PORCELAIN, FOR 50KVA DIST. TRANSFORMER	PC/S	100
137.	BUSHING, SECONDARY TERMINAL, PORCELAIN, FOR 75KVA DIST. TRANSFORMER	PC/S	100
138.	BUSHING, SECONDARY TERMINAL, PORCELAIN, FOR 100KVA DIST. TRANSFORMER	PC/S	100

- > APPROVED BUDGET FOR THE CONTRACT : Php 6,091,728.00
- > SOURCE OF FUNDS : GENERAL FUND
- > COST OF BID DOCUMENTS IN PHP : Php 10,000.00
- > BIDDING STATUS : 1ST BIDDING

VI. LOT 6: VARIOUS CONDUCTORS  
 PR No. 100000520 requested by Network Services Department  
 PR No. 100000748 requested by Network Services Department

No.	ITEM DESCRIPTION	Unit	Qty
1	CONDUCTOR, DUPLEX, #6 AWG 6/1	METERS	13220
2	CONDUCTOR, DUPLEX, #2 AWG 6/1	METERS	10990
3	CONDUCTOR, DUPLEX, #2/0 AWG 6/1	METERS	9560
4	CONDUCTOR, DUPLEX, #1/0 AWG 6/1	METERS	15964
5	CONDUCTOR, BARE, ACSR #4/0, AWG 6/1	METERS	2600
6	CONDUCTOR, BARE, ACSR #2/0, AWG 6/1	METERS	2900
7	CONDUCTOR, BARE, ACSR #1/0, AWG 6/1	METERS	11735
8	CONDUCTOR, BARE, ACSR #2, AWG 6/1	METERS	9815
9	CONDUCTOR, BARE, COPPER #4/0	METERS	303
10	CONDUCTOR, BARE, #336.4 MCM	METERS	1000
11	CONDUCTOR, INSULATED, ACSR #6 AWG 6/1	METERS	23500
12	CONDUCTOR, INSULATED, ACSR #2 AWG 6/1	METERS	3400
13	CONDUCTOR, INSULATED, #1/0 ACSR, AWG 6/1	METERS	3700
14	CONDUCTOR, INSULATED, #2/0 ACSR, AWG 6/1	METERS	2600

- > APPROVED BUDGET FOR THE CONTRACT : Php 7,770,653.00
- > SOURCE OF FUNDS : GENERAL FUND
- > COST OF BID DOCUMENTS IN PHP : Php 10,000.00
- > BIDDING STATUS : 1ST BIDDING

991-2117

0917-307-1412

0917-302-6629

management@zamcelco.com.ph

help\_desk@zamcelco.com.ph

MCLL Highway, Putik, Zamboanga City

*Handwritten signature/initials*



**VII. LOT 7: ONE (1) LOT CONCRETE POLES**  
PR No. 10000560 requested by Network Services Department

ITEM DESCRIPTION	Unit	Qty
ONE (1) LOT POLE, CONCRETE, 45' CLASS 1, 2000KGS (MINIMUM LOAD BREAK)	PC/S	100


> APPROVED BUDGET FOR THE CONTRACT : Php 3,880,000.00  
 > SOURCE OF FUNDS : GENERAL FUND  
 > COST OF BID DOCUMENTS IN PHP : Php 5,000.00  
 > BIDDING STATUS : 2ND BIDDING


The schedule of the bidding activities will be as follows:

BAC ACTIVITIES	SCHEDULED DATE
Publication of Invitation to Bid	July 28, 2022 (Thursday)
Availability of Bidding Documents	July 28, 2022 (Thursday) to August 17, 2022 (Wednesday)
Pre-Bid Conference	August 4, 2022 (Thursday) 09:00AM Video Conference
Deadline of Submission and Receipt of Bids/ Opening of Bid	August 17, 2022 (Wednesday) 09:00AM Video Conference
Issuance of Purchase Order	Upon Posting of the Performance Bond by the Winning Bidder

- Bidding activities will be conducted online.
- Interested bidders to participate in the bidding must submit their Letter of Intent to the ZBAC indicating thereto the lot to be participated and the official email address and contact no. to whom all transactions pertaining to the bidding will be communicated.
- Bidding documents may be acquired by the interested bidder/s upon payment of a non-refundable fee as indicated on the table above. The bidder must email to the BAC the scanned copy of the deposit slip for the bidding documents fee.
- Bidding documents will be sent to the bidders via email address of the bidder declared in the Letter of Intent.
- Only Bidders who have paid the Bidding Documents Fee shall be allowed to join the Online Pre-Bid Conference. Non-attendance in the Pre-Bid Conference shall be deemed a waiver on the part of the absent Bidder to question any matter that was taken up and decided during the Pre-Bid Conference.
- A Security Bond which is equivalent to two percent (2%) of the ABC is required to be posted.
- ZAMCELCO reserves the right to reject any or all bids, waive any formality or technicality therein, accept any bid deemed most advantageous to the cooperative, or annul the bidding process and not award the contract at any time prior to contract award without incurring any liability to any bidder or party. Further, ZAMCELCO assumes no obligation to compensate any bidder for any loss or expense incurred in the preparation of the bid or participation in the bidding process.

All communications must be addressed to:  
**The BAC Secretariat**  
 ZAMCELCO, Inc.  
 MCLL Highway, Barangay Putik, Zamboanga City  
 Email Address: zbac@zamcelco.com.ph  
 Tel. No. (062) 991-2117 local 100 or 160

  
 ANNA D. ANCHETTE E. MACIAS  
 BAC Secretary

  
 MELBURGO S. CHIU  
 BAC Chairman