



GUIMARAS ELECTRIC COOPERATIVE

GUIMELCO

San Miguel, Jordan, Guimaras

“Iwag para sa pag-uswag”

BAC Control No.:2023-003

INVITATION TO APPLY FOR ELIGIBILITY AND TO BID

The GUIMARAS ELECTRIC COOPERATIVE (GUIMELCO) with office address at San Miguel, Jordan, Guimaras invites Suppliers/Bidders to quote for the supply and delivery of materials/equipment of the following:

LOT	PARTICULARS																																																																																																									
1	<p>DPWH Road Widening Affected Distribution line in Brgy. Cabano, San Lorenzo Guimaras.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th data-bbox="305 882 662 914">MATERIALS DESCRIPTION</th> <th colspan="2" data-bbox="1247 847 1468 906">REQUIREMENTS PROJECT</th> </tr> </thead> <tbody> <tr><td>1. Anchor, Expanding, 8,000 Pounds, 8 Way, Galvanized Steel</td><td>9</td><td>pieces</td></tr> <tr><td>2. Attachment, Guy, Malleable Type with 11/16" Hole Diameter</td><td>9</td><td>pieces</td></tr> <tr><td>3. Bolt, Double Arming, 5/8" x 18"</td><td>2</td><td>pieces</td></tr> <tr><td>4. Bolt, Double Upset, 5/8" x 10"</td><td>3</td><td>pieces</td></tr> <tr><td>5. Bolt, Oval Eye, 5/8" x 9"</td><td>8</td><td>pieces</td></tr> <tr><td>6. Bolt, Oval Eye, 5/8" x 10"</td><td>5</td><td>pieces</td></tr> <tr><td>7. Bolt, Machine, 1/2" x 6"</td><td>2</td><td>pieces</td></tr> <tr><td>8. Bolt, Machine, 1/2" x 10"</td><td>3</td><td>pieces</td></tr> <tr><td>9. Bolt, Machine, 5/8" x 8"</td><td>15</td><td>pieces</td></tr> <tr><td>10. Bolt, Machine, 5/8" x 10"</td><td>9</td><td>pieces</td></tr> <tr><td>11. Bolt, Machine, 5/8" x 12"</td><td>8</td><td>pieces</td></tr> <tr><td>12. Bolt, Single Upset, 5/8" x 8"</td><td>3</td><td>pieces</td></tr> <tr><td>13. Clamp, Hot Line, #2 - #4/0 ACSR Main to #2 - #4/0</td><td>4</td><td>pieces</td></tr> <tr><td>14. Clamp, Anchor Rod Bonding, Single Eye</td><td>9</td><td>pieces</td></tr> <tr><td>15. Clamp, Deadend Strain, #4/0 ACSR</td><td>4</td><td>pieces</td></tr> <tr><td>16. Clamp, Suspension, Aluminum Alloy Clevis, 2 Bolts, #4/0 ACSR</td><td>1</td><td>piece</td></tr> <tr><td>17. Clevis, Secondary Swinging without Spool</td><td>10</td><td>pieces</td></tr> <tr><td>18. Shackle, Anchor, Forged Steel, Galvanized</td><td>5</td><td>pieces</td></tr> <tr><td>19. Conductor, Bare, ACSR #1/0, AWG 6/1</td><td>1,150</td><td>meters</td></tr> <tr><td>20. Conductor, Bare, ACSR #4/0, AWG 6/1</td><td>2,300</td><td>meters</td></tr> <tr><td>21. Connector, Compression, YHO 250, #1/0 - #4/0 ACSR</td><td>30</td><td>pieces</td></tr> <tr><td>22. Connector, Compression, YHD 400, #2/0 - #4/0 ACSR</td><td>10</td><td>pieces</td></tr> <tr><td>23. Connector, Ground Rod (Clamp) for 5/8" Steel Rod</td><td>5</td><td>pieces</td></tr> <tr><td>24. Pin, Crossarm, Steel, 5/8" x 10-3/4"</td><td>4</td><td>pieces</td></tr> <tr><td>25. Insulator, Pin Type, Porcelain, ANSI, Class 55 - 3</td><td>4</td><td>pieces</td></tr> <tr><td>26. Insulator, Pin Type, Porcelain, ANSI, Class 55 - 5</td><td>11</td><td>pieces</td></tr> <tr><td>27. Insulator, Spool, 1-3/4", ANSI, Class 53 - 2</td><td>16</td><td>pieces</td></tr> <tr><td>28. Insulator, Spool, 3", ANSI, Class 53 - 4</td><td>9</td><td>pieces</td></tr> <tr><td>29. Insulator, Suspension, 6", Porcelain, Clevis Type</td><td>10</td><td>pieces</td></tr> <tr><td>30. Nut, Eye, 5/8", Conventional</td><td>2</td><td>pieces</td></tr> <tr><td>31. Nut, Lock, Mf Type, 1/2"</td><td>4</td><td>pieces</td></tr> <tr><td>32. Nut, Lock, Mf Type, 5/8"</td><td>55</td><td>pieces</td></tr> <tr><td>33. Pin, Pole Top, Channel, 1" Thread, 25" Long</td><td>11</td><td>pieces</td></tr> <tr><td>34. Rod, Anchor, Threaded, Single Eye, 5/8" x 7'</td><td>9</td><td>pieces</td></tr> </tbody> </table>	MATERIALS DESCRIPTION	REQUIREMENTS PROJECT		1. Anchor, Expanding, 8,000 Pounds, 8 Way, Galvanized Steel	9	pieces	2. Attachment, Guy, Malleable Type with 11/16" Hole Diameter	9	pieces	3. Bolt, Double Arming, 5/8" x 18"	2	pieces	4. Bolt, Double Upset, 5/8" x 10"	3	pieces	5. Bolt, Oval Eye, 5/8" x 9"	8	pieces	6. Bolt, Oval Eye, 5/8" x 10"	5	pieces	7. Bolt, Machine, 1/2" x 6"	2	pieces	8. Bolt, Machine, 1/2" x 10"	3	pieces	9. Bolt, Machine, 5/8" x 8"	15	pieces	10. Bolt, Machine, 5/8" x 10"	9	pieces	11. Bolt, Machine, 5/8" x 12"	8	pieces	12. Bolt, Single Upset, 5/8" x 8"	3	pieces	13. Clamp, Hot Line, #2 - #4/0 ACSR Main to #2 - #4/0	4	pieces	14. Clamp, Anchor Rod Bonding, Single Eye	9	pieces	15. Clamp, Deadend Strain, #4/0 ACSR	4	pieces	16. Clamp, Suspension, Aluminum Alloy Clevis, 2 Bolts, #4/0 ACSR	1	piece	17. Clevis, Secondary Swinging without Spool	10	pieces	18. Shackle, Anchor, Forged Steel, Galvanized	5	pieces	19. Conductor, Bare, ACSR #1/0, AWG 6/1	1,150	meters	20. Conductor, Bare, ACSR #4/0, AWG 6/1	2,300	meters	21. Connector, Compression, YHO 250, #1/0 - #4/0 ACSR	30	pieces	22. Connector, Compression, YHD 400, #2/0 - #4/0 ACSR	10	pieces	23. Connector, Ground Rod (Clamp) for 5/8" Steel Rod	5	pieces	24. Pin, Crossarm, Steel, 5/8" x 10-3/4"	4	pieces	25. Insulator, Pin Type, Porcelain, ANSI, Class 55 - 3	4	pieces	26. Insulator, Pin Type, Porcelain, ANSI, Class 55 - 5	11	pieces	27. Insulator, Spool, 1-3/4", ANSI, Class 53 - 2	16	pieces	28. Insulator, Spool, 3", ANSI, Class 53 - 4	9	pieces	29. Insulator, Suspension, 6", Porcelain, Clevis Type	10	pieces	30. Nut, Eye, 5/8", Conventional	2	pieces	31. Nut, Lock, Mf Type, 1/2"	4	pieces	32. Nut, Lock, Mf Type, 5/8"	55	pieces	33. Pin, Pole Top, Channel, 1" Thread, 25" Long	11	pieces	34. Rod, Anchor, Threaded, Single Eye, 5/8" x 7'	9	pieces
MATERIALS DESCRIPTION	REQUIREMENTS PROJECT																																																																																																									
1. Anchor, Expanding, 8,000 Pounds, 8 Way, Galvanized Steel	9	pieces																																																																																																								
2. Attachment, Guy, Malleable Type with 11/16" Hole Diameter	9	pieces																																																																																																								
3. Bolt, Double Arming, 5/8" x 18"	2	pieces																																																																																																								
4. Bolt, Double Upset, 5/8" x 10"	3	pieces																																																																																																								
5. Bolt, Oval Eye, 5/8" x 9"	8	pieces																																																																																																								
6. Bolt, Oval Eye, 5/8" x 10"	5	pieces																																																																																																								
7. Bolt, Machine, 1/2" x 6"	2	pieces																																																																																																								
8. Bolt, Machine, 1/2" x 10"	3	pieces																																																																																																								
9. Bolt, Machine, 5/8" x 8"	15	pieces																																																																																																								
10. Bolt, Machine, 5/8" x 10"	9	pieces																																																																																																								
11. Bolt, Machine, 5/8" x 12"	8	pieces																																																																																																								
12. Bolt, Single Upset, 5/8" x 8"	3	pieces																																																																																																								
13. Clamp, Hot Line, #2 - #4/0 ACSR Main to #2 - #4/0	4	pieces																																																																																																								
14. Clamp, Anchor Rod Bonding, Single Eye	9	pieces																																																																																																								
15. Clamp, Deadend Strain, #4/0 ACSR	4	pieces																																																																																																								
16. Clamp, Suspension, Aluminum Alloy Clevis, 2 Bolts, #4/0 ACSR	1	piece																																																																																																								
17. Clevis, Secondary Swinging without Spool	10	pieces																																																																																																								
18. Shackle, Anchor, Forged Steel, Galvanized	5	pieces																																																																																																								
19. Conductor, Bare, ACSR #1/0, AWG 6/1	1,150	meters																																																																																																								
20. Conductor, Bare, ACSR #4/0, AWG 6/1	2,300	meters																																																																																																								
21. Connector, Compression, YHO 250, #1/0 - #4/0 ACSR	30	pieces																																																																																																								
22. Connector, Compression, YHD 400, #2/0 - #4/0 ACSR	10	pieces																																																																																																								
23. Connector, Ground Rod (Clamp) for 5/8" Steel Rod	5	pieces																																																																																																								
24. Pin, Crossarm, Steel, 5/8" x 10-3/4"	4	pieces																																																																																																								
25. Insulator, Pin Type, Porcelain, ANSI, Class 55 - 3	4	pieces																																																																																																								
26. Insulator, Pin Type, Porcelain, ANSI, Class 55 - 5	11	pieces																																																																																																								
27. Insulator, Spool, 1-3/4", ANSI, Class 53 - 2	16	pieces																																																																																																								
28. Insulator, Spool, 3", ANSI, Class 53 - 4	9	pieces																																																																																																								
29. Insulator, Suspension, 6", Porcelain, Clevis Type	10	pieces																																																																																																								
30. Nut, Eye, 5/8", Conventional	2	pieces																																																																																																								
31. Nut, Lock, Mf Type, 1/2"	4	pieces																																																																																																								
32. Nut, Lock, Mf Type, 5/8"	55	pieces																																																																																																								
33. Pin, Pole Top, Channel, 1" Thread, 25" Long	11	pieces																																																																																																								
34. Rod, Anchor, Threaded, Single Eye, 5/8" x 7'	9	pieces																																																																																																								



GUIMARAS ELECTRIC COOPERATIVE

GUIMELCO

San Miguel, Jordan, Guimaras

"Iwag para sa pag-uswag"

	35. Rod, Armor, Preformed, #1/0 ACSR, Single Support 9 sets 36. Rod, Armor, Preformed, #4/0 ACSR, Single Support 12 sets 37. Rod, Armor, Preformed, #4/0 ACSR, Double Support 6 sets 38. Rod, Tapping, Preformed, #2 ACSR 2 sets 39. Rod, Ground Steel, Galvanized, 5/8" x 10' 5 pieces 40. Spacer, Pipe, 3/4" x 1-1/2" 8 pieces 41. Washer, Square, Flat, 2-1/4" x 2-1/4" x 3/16", 13/16" Diameter Hole 51 pieces 42. Washer, Round, 1-3/8 4 pieces 43. Wire, Tie, Aluminum alloy, Soft #4 AWG 220 feet 44. Wire, Tape, armor 8 feet 45. Wire, ground, 3 Strand Aluminum #4 256 feet 46. Wire, Guy, High strength, 3/8", 7 Strand 450 feet 47. Pole, Steel, 35ft 4 pieces 48. Pole, Steel, 45ft 6 pieces 49. Crossarm, Wood, 8' 2 pieces 50. Bracket, Deadend, clevis (Angle Bracket) 9 pieces 51. Brace Alley arm, 7' Diagonal 2 pieces 52. Clamp, 3-Bolt 18 pieces																																																					
2	DPWH Road Widening Affected Distribution line in Brgy. San Enrique, San Lorenzo, Guimaras																																																					
	<table border="1"> <thead> <tr> <th>MATERIALS DESCRIPTION</th> <th>REQUIREMENTS PROJECT</th> </tr> </thead> <tbody> <tr> <td>1. Anchor, Expanding, 8,000 Pounds, 8 Way, Galvanized Steel</td> <td>9 pieces</td> </tr> <tr> <td>2. Attachment, Guy, Malleable Type with 11/16" Hole Diameter</td> <td>7 pieces</td> </tr> <tr> <td>3. Bolt, Carriage 3/8" x 4-1/2"</td> <td>20 pieces</td> </tr> <tr> <td>4. Bolt, Double Arming, 5/8" x 18"</td> <td>12 pieces</td> </tr> <tr> <td>5. Bolt, Double Arming, 5/8" x 22"</td> <td>6 pieces</td> </tr> <tr> <td>6. Bolt, Double Upset, 5/8" x 10"</td> <td>4 pieces</td> </tr> <tr> <td>7. Bolt, Oval Eye, 5/8" x 9"</td> <td>4 pieces</td> </tr> <tr> <td>8. Bolt, Oval Eye, 5/8" x 10"</td> <td>3 pieces</td> </tr> <tr> <td>9. Bolt, Oval Eye, 5/8" x 12"</td> <td>2 pieces</td> </tr> <tr> <td>10. Bolt, Machine, 1/2" x 6"</td> <td>12 pieces</td> </tr> <tr> <td>11. Bolt, Machine, 1/2" x 8"</td> <td>5 pieces</td> </tr> <tr> <td>12. Bolt, Machine, 1/2" x 10"</td> <td>14 pieces</td> </tr> <tr> <td>13. Bolt, Machine, 5/8" x 8"</td> <td>7 pieces</td> </tr> <tr> <td>14. Bolt, Machine, 5/8" x 10"</td> <td>8 pieces</td> </tr> <tr> <td>15. Bolt, Machine, 5/8" x 14"</td> <td>4 pieces</td> </tr> <tr> <td>16. Bolt, Single Upset, 5/8" x 10"</td> <td>4 pieces</td> </tr> <tr> <td>17. Brace, Crossarm, 28", Steel</td> <td>20 each</td> </tr> <tr> <td>18. Brace, Alley arm, Diagonal, 7 Feet</td> <td>12 pieces</td> </tr> <tr> <td>19. Bracket, Clevis Deadend without Spool</td> <td>8 pieces</td> </tr> <tr> <td>20. Clamp, Hot Line, #2 - #4/0 ACSR Main to #2 - #4/0</td> <td>8 pieces</td> </tr> <tr> <td>21. Clamp, Anchor Rod Bonding, Single Eye</td> <td>7 pieces</td> </tr> <tr> <td>22. Clamp, Deadend Strain, #4/0 ACSR</td> <td>8 pieces</td> </tr> <tr> <td>23. Clamp, Guy Straight, 3 Bolt, Heavy Duty Steel</td> <td>18 pieces</td> </tr> <tr> <td>24. Clevis, Secondary Swinging without Spool</td> <td>7 pieces</td> </tr> <tr> <td>25. Shackle, Anchor, Forged Steel, Galvanized</td> <td>2 pieces</td> </tr> </tbody> </table>	MATERIALS DESCRIPTION	REQUIREMENTS PROJECT	1. Anchor, Expanding, 8,000 Pounds, 8 Way, Galvanized Steel	9 pieces	2. Attachment, Guy, Malleable Type with 11/16" Hole Diameter	7 pieces	3. Bolt, Carriage 3/8" x 4-1/2"	20 pieces	4. Bolt, Double Arming, 5/8" x 18"	12 pieces	5. Bolt, Double Arming, 5/8" x 22"	6 pieces	6. Bolt, Double Upset, 5/8" x 10"	4 pieces	7. Bolt, Oval Eye, 5/8" x 9"	4 pieces	8. Bolt, Oval Eye, 5/8" x 10"	3 pieces	9. Bolt, Oval Eye, 5/8" x 12"	2 pieces	10. Bolt, Machine, 1/2" x 6"	12 pieces	11. Bolt, Machine, 1/2" x 8"	5 pieces	12. Bolt, Machine, 1/2" x 10"	14 pieces	13. Bolt, Machine, 5/8" x 8"	7 pieces	14. Bolt, Machine, 5/8" x 10"	8 pieces	15. Bolt, Machine, 5/8" x 14"	4 pieces	16. Bolt, Single Upset, 5/8" x 10"	4 pieces	17. Brace, Crossarm, 28", Steel	20 each	18. Brace, Alley arm, Diagonal, 7 Feet	12 pieces	19. Bracket, Clevis Deadend without Spool	8 pieces	20. Clamp, Hot Line, #2 - #4/0 ACSR Main to #2 - #4/0	8 pieces	21. Clamp, Anchor Rod Bonding, Single Eye	7 pieces	22. Clamp, Deadend Strain, #4/0 ACSR	8 pieces	23. Clamp, Guy Straight, 3 Bolt, Heavy Duty Steel	18 pieces	24. Clevis, Secondary Swinging without Spool	7 pieces	25. Shackle, Anchor, Forged Steel, Galvanized	2 pieces	
MATERIALS DESCRIPTION	REQUIREMENTS PROJECT																																																					
1. Anchor, Expanding, 8,000 Pounds, 8 Way, Galvanized Steel	9 pieces																																																					
2. Attachment, Guy, Malleable Type with 11/16" Hole Diameter	7 pieces																																																					
3. Bolt, Carriage 3/8" x 4-1/2"	20 pieces																																																					
4. Bolt, Double Arming, 5/8" x 18"	12 pieces																																																					
5. Bolt, Double Arming, 5/8" x 22"	6 pieces																																																					
6. Bolt, Double Upset, 5/8" x 10"	4 pieces																																																					
7. Bolt, Oval Eye, 5/8" x 9"	4 pieces																																																					
8. Bolt, Oval Eye, 5/8" x 10"	3 pieces																																																					
9. Bolt, Oval Eye, 5/8" x 12"	2 pieces																																																					
10. Bolt, Machine, 1/2" x 6"	12 pieces																																																					
11. Bolt, Machine, 1/2" x 8"	5 pieces																																																					
12. Bolt, Machine, 1/2" x 10"	14 pieces																																																					
13. Bolt, Machine, 5/8" x 8"	7 pieces																																																					
14. Bolt, Machine, 5/8" x 10"	8 pieces																																																					
15. Bolt, Machine, 5/8" x 14"	4 pieces																																																					
16. Bolt, Single Upset, 5/8" x 10"	4 pieces																																																					
17. Brace, Crossarm, 28", Steel	20 each																																																					
18. Brace, Alley arm, Diagonal, 7 Feet	12 pieces																																																					
19. Bracket, Clevis Deadend without Spool	8 pieces																																																					
20. Clamp, Hot Line, #2 - #4/0 ACSR Main to #2 - #4/0	8 pieces																																																					
21. Clamp, Anchor Rod Bonding, Single Eye	7 pieces																																																					
22. Clamp, Deadend Strain, #4/0 ACSR	8 pieces																																																					
23. Clamp, Guy Straight, 3 Bolt, Heavy Duty Steel	18 pieces																																																					
24. Clevis, Secondary Swinging without Spool	7 pieces																																																					
25. Shackle, Anchor, Forged Steel, Galvanized	2 pieces																																																					



GUIMARAS ELECTRIC COOPERATIVE

G U I M E L C O

San Miguel, Jordan, Guimaras

“Iwag para sa pag-uswag”

	26. Conductor, Bare, ACSR #1/0, AWG 6/1	1,265	meters
	27. Conductor, Bare, ACSR #4/0, AWG 6/1	3,795	meters
	28. Connector, Compression, YHO 250, #1/0 - #4/0 ACSR	30	pieces
	29. Connector, Compression, YHD 400, #2/0 - #4/0 ACSR	10	pieces
	30. Connector, Ground Rod (Clamp) for 5/8" Steel Rod	4	pieces
	31. Pin, Crossarm, Steel, 5/8" x 10-3/4"	36	pieces
	32. Insulator, Pin Type, Porcelain, ANSI, Class 55 - 3	48	pieces
	33. Insulator, Spool, 1-3/4", ANSI, Class 53 - 2	11	pieces
	34. Insulator, Spool, 3", ANSI, Class 53 - 4	12	pieces
	35. Insulator, Suspension, 6", Porcelain, Clevis Type	16	pieces
	36. Nut, Eye, 5/8", Conventional	6	pieces
	37. Nut, Lock, Mf Type, 3/8"	20	pieces
	38. Nut, Lock, Mf Type, 1/2"	31	pieces
	39. Nut, Lock, Mf Type, 5/8"	107	pieces
	40. Nut, Thimble Eye, 5/8", Single Eye	2	pieces
	41. Rod, Anchor, Threaded, Single Eye, 5/8" x 7'	9	pieces
	42. Rod, Armor, Preformed, #1/0 ACSR, Single Support	11	sets
	43. Rod, Armor, Preformed, #4/0 ACSR, Single Support	13	sets
	44. Rod, Armor, Preformed, #4/0 ACSR, Double Support	20	sets
	45. Rod, Ground, 5/8" x 10', steel, HDG	4	pcs
	46. Washer, Square, Flat, 2-1/4" x 2-1/4" x 3/16", 13/16" Diameter	108	pieces
	47. Washer, Round, 1-3/8" Diameter with 9/16" Diameter Hole	31	pieces
	48. Wire, Tie, Aluminum Alloy, Soft, #4 AWG	468	feet
	49. Wire Tape Armor	9	feet
	50. Wire ground 3 strand alum. # 4	215	feet
	51. Wire, guy, High Strenght 3/8", 7 strands	490	feet
	52. Steel, Pole, 35 ft	2	pieces
	53. Steel, Pole, 40 ft	5	pieces
	54. Steel, Pole, 45 ft	6	pieces
	55. Crossarm, Wood, 10'	12	pieces
	56. Crossarm, Wood, 8'	10	pieces
	57. Bolt, Double Arming, 5/8" x 20"	3	pieces
	58. Bolt, Thimble eye, 5/8" x 8", Straight Type	2	pieces
	59. Rod, Tapping, Preformed #2 ACSR	2	sets
3	Digital Earth Tester, Clamp on meter type, Measure ground resistance: 0.5 ohms – 1500 ohms, Measure true RMS ground leakage: 0.5 mAmps – 35 Amps, CAT IV 600 volts safety rating, Backlight LCD Display, with auto current measurements, With alarm function, With complete accessories.		
	Quantity: 1 Unit		
4	Materials for Construction of 1 phase DX pole (A5 construction) and Installation of privately owned transformer of Jumbo Fishing Corporation		
	MATERIALS DESCRIPTION	PROJECT REQUIREMENTS	
	1. Anchor, Expanding, 10,000 Pounds, 8 Way, Galvanized Steel	2	pieces
	2. Attachment, Guy, Malleable Type with 11/16" Hole Diameter	2	pieces
	3. Bolt, Oval Eye, 5/8" x 9"	4	pieces
	4. Bolt, Machine, 5/8" x 8"	2	pieces



GUIMARAS ELECTRIC COOPERATIVE

GUIMELCO

San Miguel, Jordan, Guimaras

"Iwag para sa pag-uswag"

5. Clamp, Hot Line, #2 - #4/0 ACSR Main to #2 - #4/0	2	piece
6. Clamp, Anchor Rod Bonding, Single Eye	2	pieces
7. Clamp, Loop Deadend, #4 - #4/0 ACSR	4	pieces
8. Clamp, Deadend Strain, #2/0 ACSR	2	pieces
9. Clamp, Guy Straight, 3 Bolt, Heavy Duty Steel	4	pieces
10. Clevis, Secondary Swinging without Spool	2	pieces
11. Shackle, Anchor, Forged Steel, Galvanized	2	pieces
12. Conductor, Bare, ACSR #1/0, AWG 6/1	230	meters
13. Connector, Compression, YHO 150, #3 - #1/0 ACSR Run To #6 - #2	16	pieces
14. Connector, Compression, YHD 300, #1/0 - #2/0 ACSR	6	pieces
15. Connector, Ground Rod (Clamp) for 5/8" Steel Rod	2	pieces
16. Insulator, Spool, 1-3/4", ANSI, Class 53 - 2	2	pieces
17. Insulator, Suspension, 6", Porcelain, Clevis Type	4	pieces
18. Nut, Lock, Mf Type, 5/8"	6	pieces
19. Rod, Anchor, Threaded, Single Eye, 5/8" x 7'	2	pieces
20. Rod, Tapping, Preformed, #1/0 ACSR	1	set
21. Rod, Ground Steel, Galvanized, 5/8" x 10'	2	pieces
22. Washer, Square, Flat, 2-1/4" x 2-1/4" x 3/16", 13/16" Diameter Hole	22	pieces
23. Wire, Tape, Armor, Aluminum Alloy, 0.5" x 0.3"	2	feet
24. Wire, Grounding, Aluminum Alloy, 3 Strand, #4 AWG	74	feet
25. Wire, Guy, Steel, 3/8", 7 Strand	100	feet
26. Pole, Steel, 35', 3.0 mm	1	piece
27. Transformer 100 KVA, Double Bushing (120/240 /7620/13.2kv)	1	unit
28. Transformer, Current, Outdoor-Type 10/15:5, 60 Hz, pole mounted	1	unit
29. Transformer, Potential, Outdoor-Type, 70:1, 15 KV, 60 Hz	1	unit
30. Royal cord 4 wire, 600 V, color coded, 3.5 sq.mm	20	mts
31. Terminal lugs, 2/0 (for CT PT Use)	6	pcs
32. Power cable #2	10	mts
33. Terminal lugs, #2	4	pcs
34. Termination kit 3M	1	box
35. KV2C GE Kwh Meter form 48 A	1	set
36. Meter Panel Enclosure, Outdoor Rated, for KV 2C, form 48A	1	set
37. Fuse cut out assembly with arrester combination, 100 amps, AB chance	1	pcs
38. Cutout Mounting Bracket	1	set
39. Crossarm 8'	2	pcs
40. Bolt, Machine, 1/2" X 6"	4	pcs
41. Bolt, Double Arming, 5/8" X 22"	3	pcs
42. Brace, Crossarm, 18", Drop 60" Span	2	pcs
43. Bolt, Machine, 1/2" X 10"	2	pcs
44. Insulator, Pin Type, Porcelain, ANSI, Class 55 - 5	1	pcs
45. Steel pin, pin type 5/8"	1	pcs
46. Fuse Link type k 12 amps (AB CHANCE)	2	pcs
47. Wedge Connector 4/0	2	pcs
48. Hot Strirrup	1	pc



GUIMARAS ELECTRIC COOPERATIVE

GUIMELCO

San Miguel, Jordan, Guimaras

"Iwag para sa pag-uswag"

The bidding will be conducted through simplified bidding (sealed canvass) as specified in the NEA Memorandum No. 2017-019 (Revised Procurement Guidelines and Simplified Bidding Procedures for Electric Cooperatives)

Interested bidders/suppliers are required to submit the Accreditation Requirements while existing accredited bidders shall keep their records current and updated. Submission of bids/quotations will be from **September 28 Until October 2, 2023** at GUIMELCO main office, San Miguel, Jordan, Guimaras. Opening of Bids and Evaluation will be on October 3, 2023. For inquiries, you may contact **ENGR. FRENCE GAYO G. YONDER**, BAC Secretariat, at **09173030191** or email at **guimelco.bac@gmail.com** during office hours **8:00 am to 5:00 pm**.

GUIMELCO hereby reserves the absolute right to accept or reject any or all bid proposals, to waive any formality therein and to accept such bid as may be considered advantageous to the cooperative or annul the bidding process and not award the contract at any time prior to the contract award without incurring any liability to any bidders or party. Further, GUIMELCO is not obliged to compensate/indemnify any bidder or party for any loss or expense incurred in the preparation of the bid or participation in the bidding process.


ANALYN G. VILLA
Chairperson
Bids and Awards Committee (BAC)