

INVITATION TO BID NO. 2024-002

The Zamboanga City Electric Cooperative, Inc. (ZAMCELCO) through its Bids and Awards Committee (BAC), invites all interested parties to participate in the Public Bidding for the following items:

I. Lot 1: PR-100001616 PROCUREMENT OF ONE (1) LOT STEEL POLES FOR DPWH PROJECT.

No.	Description	Unit	Required Quantity
1	POLE, STEEL, 35', BARE 3.0 MM, 86 MICRON, 500 KGS.	UNITS 10	10
1.	(MIN. LOAD BREAK) (Item 1-6 of PR100001616)		10

➤ APPROVED BUDGET FOR THE CONTRACT : PHP 246,000.00
 ➤ SOURCE OF FUNDS : GENERAL FUND
 ➤ COST OF BIDDING DOCUMENTS : PHP 500.00
 ➤ BIDDING STATUS : 1ST BIDDING

II. Lot 2: PR-100001616 PROCUREMENT OF ONE (1) LOT CONCRETE POLES FOR DPWH PROJECT.


No.	Description	Unit	Required Quantity
1.	POLE, CONCRETE, 45', CLASS 5, 1000 KGS. (MIN. LOAD BREAK)	UNITS	118
2.	POLE, CONCRETE, 35', CLASS 5, 1000 KGS. (MIN. LOAD BREAK)	UNITS	4
3.	FREIGHT AND HANDLING	LOT	5

➤ APPROVED BUDGET FOR THE CONTRACT : PHP 3,557,800.00
 ➤ SOURCE OF FUNDS : GENERAL FUND
 ➤ COST OF BIDDING DOCUMENTS : PHP 5,000.00
 ➤ BIDDING STATUS : 1ST BIDDING

III. Lot 3: PR-100001592 PROCUREMENT OF ONE (1) LOT VARIOUS LINE MATERIALS

No.	Description	Unit	Required Qty
1.	ANCHOR, EXPANDING 8-WAYS, HOT DIP GALVANIZED	IZED PCS 65	
2.	SHACKLE, ANCHOR, 3/4", DROP FORGED STEEL, 69 KV	PCS	5
3.	3. BOLT, CARRIAGE 3/8" X 6", HOT DIP GALV. PCS 67		67
4.	BOLT, DOUBLE ARMING 5/8" X 18", HOT DIP GALVANIZED	PCS	20
5.	BOLT, DOUBLE ARMING 5/8" X 20", HOT DIP GALVANIZED	PCS	32
6.	BOLT, DOUBLE ARMING 5/8" X 22", HOT DIP GALVANIZED	PCS	36
7.	BOLT, DOUBLE ARMING 5/8" X 24", HOT DIP GALVANIZED	PCS	80

991-2117








		1		
8.	BOLT, DOUBLE UPSET, 5/8" X 9", HOT DIP GALVANIZED	PCS	15	
9.	BOLT, DOUBLE UPSET, 5/8" X 12", HOT DIP GALVANIZED	PCS	CS 22	
10.	BOLT, DOUBLE UPSET, 5/8" X 14", HOT DIP GALVANIZED		15	
11.	11. BOLT, DOUBLE UPSET, 5/8" X 16", HOT DIP GALVANIZED PCS		13	
12.			372	
13.	BOLT, MACHINE 1/2" X 8", HOT DIP GALVANIZED	PCS	40	
14.	BOLT, MACHINE 1/2" X 10", HOT DIP GALVANIZED	PCS	23	
15.	BOLT, MACHINE 5/8" X 4", HOT DIP GALVANIZED	PCS	28	
16.	BOLT, MACHINE 5/8" X 6", HOT DIP GALVANIZED	PCS	58	
17.	BOLT, MACHINE 5/8" X 8", HOT DIP GALVANIZED	PCS	63	
18.	BOLT, MACHINE 5/8" X 9", HOT DIP GALVANIZED	PCS	125	
19.	BOLT, MACHINE 5/8" X 10", HOT DIP GALVANIZED	PCS	308	
20.	BOLT, MACHINE 5/8" X 12", HOT DIP GALVANIZED	PCS	210	
21.	BOLT, MACHINE 5/8" X 14", HOT DIP GALVANIZED	PCS	53	
22.	BOLT, MACHINE 5/8" X 18", HOT DIP GALVANIZED	PCS	75	
23.	BOLT, OVAL EYE 5/8" X 10", HOT DIP GALVANIZED	PCS	164	
24.	BOLT, OVAL EYE 5/8" X 12", HOT DIP GALVANIZED	PCS	140	
25.	BOLT, OVAL EYE 5/8" X 14", HOT DIP GALVANIZED	PCS	100	
26.	BOLT, OVAL EYE 5/8" X 16", HOT DIP GALVANIZED	PCS	80	
27.	BOLT, SINGLE UPSET, 5/8" X 9", HOT DIP GALVANIZED	PCS	37	
	BOLT, SINGLE UPSET, 5/8" X 12", HOT DIP			
28.	GALVANIZED	PCS	48	
29.	BOLT, SINGLE UPSET, 5/8" X 18", HOT DIP GALVANIZED	PCS	5	
30.	BOLT, THIMBLE EYE 5/8" X 9", STRAIGHT TYPE, HOT DIP GALVANIZED	PCS	14	
31.	BOLT, THIMBLE EYE 5/8" X 10", STRAIGHT TYPE, HOT DIP GALVANIZED	PCS	10	
32.	BOLT, THIMBLE EYE 5/8" X 12", STRAIGHT TYPE, HOT DIP GALVANIZED	PCS	13	
33.	BOLT, THIMBLE EYE 5/8" X 14", STRAIGHT TYPE, HOT DIP GALVANIZED	PCS	13	
34.	BRACE, CROSSARM, 18 DROP 60 SPAN, HOT DIP GALVANIZED	PCS	68	
35.			65	
36.	BRACE, SIDEARM, DIAGONAL, 7', STEEL, HOT DIP GALVANIZED	PCS	68	
37.	BRACE, SIDEARM, STEEL 60"	PCS	88	
38.	BRACKET, SECONDARY WITHOUT SPOOL	PCS	170	
39.	BRACKET, MOUNTING FOR FUSE CUT-OUT & ARRESTER	PCS	185	
40.	CLAMP, ANCHOR BONDING, SINGLE EYE ROD, 5/8	PCS	65	
41.	CLAMP, DEAD-END STRAIN, #2 ACSR	PCS	58	

991-2117








43. 44. 45. 46.	CLAMP, DEAD-END STRAIN, #4/0 ACSR CLAMP, GUY, STRAIGHT,3-BOLT, HEAVY DUTY STEEL HOT DIP GALVANIZED CLAMP, HOTLINE, #2-4/0 ACSR	PCS PCS	150	
43. 44. 45. 46.	HOT DIP GALVANIZED	PCS	150	
45. 46.	CLAMP, HOTLINE, #2-4/0 ACSR		150	
46.	4. CLAMP, HOTLINE, #2-4/0 ACSR PCS 25		255	
	15. CLAMP, LOOP DEAD-END, #2 ACSR PCS 60		60	
47	46. CLAMP, LOOP DEAD-END, #2/0 ACSR PCS 1		138	
47.	CLAMP, LOOP DEAD-END, #1/0 ACSR	PCS	95	
48.	CLAMP, POLE MOUNTING ADAPTER, 5-6 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	60	
49.	CLAMP, POLE MOUNTING ADAPTER, 6-7 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	60	
50.	CLAMP, POLE MOUNTING ADAPTER, 7-8 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	45	
51.	CLAMP, POLE MOUNTING ADAPTER, 8-9 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	38	
52.	CLAMP, POLE MOUNTING ADAPTER, 9-10 HOT DIP GALVANIZED, DOUBLE SUPPORT	SETS	30	
53.	CLAMP, POLE MOUNTING ADAPTER, 10-11 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	30	
54.	CLAMP, POLE MOUNTING ADAPTER, 11-12 HOT DIP GALVANIZED, SINGLE SUPPORT	SETS	20	
55.	CLAMP, POLE MOUNTING ADAPTER, 10-11 HOT DIP GALVANIZED, DOUBLE SUPPORT	SETS	5	
56.	CLAMP, POLE MOUNTING ADAPTER, 12-13 HOT DIP GALVANIZED, DOUBLE SUPPORT	SETS	5	
57.	CLAMP, SUSPENSION, #4-#4/0 ACSR	PCS	5	
58.	CLEVIS, SECONDARY, SWINGING W/O SPOOL, HOT DIP GALVANIZED	PCS 375		
59.	CONNECTOR, COMPRESSION, #6-#4 ACSR RUN TO #6- #4	PCS 1,500		
60.	CONNECTOR, COMPRESSION, YHO 150, #3-#1/0-TAP #6-#2	PCS	2,345	
61.	CONNECTOR, COMPRESSION, YHD 200, #1/0-#2/0- TAP #6-#2	PCS	700	
62.	CONNECTOR, COMPRESSION, YHD 250, #1/0-#4/0- TAP #6-#2	PCS	925	
63	CONNECTOR, COMPRESSION, YHD 300, #1/0-#2/0- TAP #1/0-#2/0	PCS	500	
64.	CONNECTOR, COMPRESSION, YHD 350, #3/0-#4/0- TAP #1-#2/0	PCS	805	
65.	CONNECTOR, COMPRESSION, YHD 400, #2/0-#4/0- TAP #2/0-#4/0	PCS	610	
66.			95	
67.	CROSSARM, STEEL, 3"X4"X8', 3MM, HOT DIP GALVANIZED	PCS	110	
68.	CROSSARM, STEEL, 3"X4"X10', 3MM, HOT DIP GALVANIZED	PCS	75	

991-2117

0917-307-1412 0917-302-6629

Zamboanga City








69. KV, CLASS 100 SET 100					
70. KV, CLASS 200 71. INSULATOR, PIN TYPE, HDPE, ANSI, CLASS 55-4, 15KV PCS 255 72. INSULATOR, SPOOL, 1-3/4", ANSI, CLASS 53-2 PCS 700 73. INSULATOR, SPOOL, 3", ANSI, CLASS 53-2 PCS 180 74. INSULATOR, SUSPENSION, 4 SHED, POLYMER, 15 KV PCS 165 75. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 10A PCS 180 76. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 10A PCS 180 77. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 15A PCS 180 78. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 20A PCS 180 79. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 25A PCS 180 80. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 25A PCS 180 81. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 25A PCS 180 82. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 36A PCS 180 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 95. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 96. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 97. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 98. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HE	69.	FUSE, CUT-OUT AND ARRESTER COMBINATION, 15 KV, CLASS 100	SET	100	
72. INSULATOR, SPOOL, 1-3/4", ANSI, CLASS 53-2 PCS 700 73. INSULATOR, SPOOL, 3", ANSI, CLASS 53-4 PCS 180 74. INSULATOR, SUSPENSION, 4 SHED, POLYMER, 15 KV PCS 165 75. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 10A PCS 180 76. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 12A PCS 180 77. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 2DA PCS 180 78. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 2DA PCS 180 79. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3DA PCS 180 80. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3DA PCS 180 81. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4DA PCS 180 82. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4DA PCS 180 83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5DA PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5DA PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6DA PCS 180	70.		SET 85		
73. INSULATOR, SPOOL, 3", ANSI, CLASS 53-4 74. INSULATOR, SUSPENSION, 4 SHED, POLYMER, 15 KV 75. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 10A 76. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 10A 76. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 12A 77. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 12A 78. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 20A 79. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 25A 80. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A 81. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A 82. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A 83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A 95. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A 96. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A 97. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A 98. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A 95. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A 96. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A 97. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A 98. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A 99. FUSE, LINK, UNIVERSAL, BO	71.	INSULATOR, PIN TYPE, HDPE, ANSI, CLASS 55-4, 15KV	PCS 255		
74. INSULATOR, SUSPENSION, 4 SHED, POLYMER, 15 KV	72.	INSULATOR, SPOOL, 1-3/4", ANSI, CLASS 53-2 PCS		700	
74. INSULATOR, SUSPENSION, 4 SHED, POLYMER, 15 KV	73.	INSULATOR, SPOOL, 3", ANSI, CLASS 53-4	PCS	180	
76. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 12A PCS 180 77. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 15A PCS 180 78. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 20A PCS 180 80. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A PCS 180 80. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A PCS 180 81. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3A PCS 180 82. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A PCS 180 83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A PCS 180 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 <	74.		PCS	165	
77. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 15A PCS 180 78. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 20A PCS 180 79. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 25A PCS 180 80. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 81. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 82. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3A PCS 180 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 95. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 96. PUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 97. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 98. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 91. FUSE, LINK, UNIVERSAL,	75.	5. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 10A PCS		180	
78. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 20A PCS 180 79. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 25A PCS 180 80. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A PCS 180 81. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 82. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 70A PCS 180 95. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 96. DISPE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 97. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 98. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 95. GALVANZED PCS 30 96. DIP GALVANIZED PCS 30 97. LONG, HOT DIP GALVANIZED, FORGED PCS 30 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP PCS 30 99. FUSE, CONSARM, COMPANY, THREAD DIA. HOT DIP PCS 305 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP PCS 305 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 103. ALLOY FIRE THE TOT TO TOT TO TOT TO TOT TOT TOT TOT T	76.		PCS	180	
79. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 25A PCS 180 80. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A PCS 180 81. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 82. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 44A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 95. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 96. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 97. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 98. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 95. GALVANZED PCS 30 96. DIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED 97. LONG, HOT DIP GALVANIZED, FORGED PCS 30 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP PCS 30 99. FUSE, LINK, UNIVERSAL, SETS 25 100. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 103. ALLOY FIRE GROUNDING, 3 STRAND, 5/16 DIA. FT 7,550	77.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 15A	PCS	180	
80. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A PCS 180 81. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 82. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3A PCS 180 83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 95. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 96. PUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 97. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 98. NUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP PCS 30 96. DIP GALVANIZED PCS 30 97. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED PCS 30 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP PCS 40 99. GALVANIZED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP PCS 305 99. GALVANIZED PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP PCS 40 910. ROD, ANCHOR, THREADED, 5/8" X 10-3/4", HOT DIP PCS 40 911. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM FT 7,550 104. WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT 7,550	78.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 20A	PCS	180	
80. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 30A PCS 180 81. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 82. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3A PCS 180 83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 95. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 96. PUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 97. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 98. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 95. GALVANIZED PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. HOT DIP GALVANIZED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. HOT DIP GALVANIZED PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP PCS 305 GALVANIZED PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP PCS 305 GALVANIZED 100. GALVANIZED PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP PCS 305 GALVANIZED 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 WIRE, GROUNDING #4 AWG, 3 STRAND, 5/16	79.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 25A	PCS	180	
81. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A PCS 180 82. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3A PCS 180 83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 95. GALVANZED PCS 30 96. PIUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 30	80.		PCS	180	
83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 99. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 95. GALVANZED PCS 30 96. PISE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 97. POS, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 99.	81.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 35A	PCS	180	
83. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 40A PCS 180 84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 95. GALVANZED PCS 30 96. PISE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 97. POSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 98. </td <td>82.</td> <td>FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3A</td> <td>PCS</td> <td>180</td>	82.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 3A	PCS	180	
84. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A PCS 180 85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 95. RUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP PCS 30 96. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT PCS 30 97. PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. HOT PCS 40	83.		PCS	180	
85. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 4A PCS 180 86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 95. RUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 96. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED 97. PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. HOT DIP GALVANIZED 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP GALVANIZED 99. PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED 99. PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED, SINGLE EYE 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY 104. WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT 7,550	84.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 45A	PCS	180	
86. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 50A PCS 180 87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 95. RUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 95. PUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 95. PUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 95. PIN, CROSSARM, CLAMP TYPE, TYPE K, 80A PCS 30 96. PIN, CROSSARM, CLAMP TYPE, TYPE, TYPE, TYPE K, 80A PCS 30 <td></td> <td></td> <td></td> <td colspan="2"></td>					
87. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 5A PCS 180 88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 95. NUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP GALVANIZED 96. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED 97. LONG, HOT DIP GALVANIZED, FORGED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. PCS 20 PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. PCS 40 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP PCS 305 99. GALVANIZED 99. PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP PCS 305 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP PCS 65 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY 104. WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT 7,500	-				
88. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 60A PCS 180 89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 95. NUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP GALVANZED PCS 30 96. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED PCS 30 97. LONG, HOT DIP GALVANIZED, FORGED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP GALVANIZED PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED POS 305 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED PCS 305 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY WIRE, GROUNDING, 3 STRAND, 5/16 DIA.					
89. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 65A PCS 180 90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 95. NUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP GALVANZED PCS 30 96. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED PCS 30 97. PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. PCS PCS 20 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP GALVANIZED PCS 40 99. PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED PCS 305 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED, SINGLE EYE PCS 65 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16"					
90. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 6A PCS 180 91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 95. NUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP GALVANIZED PCS 30 96. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED PCS 30 97. LONG, HOT DIP GALVANIZED, FORGED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. PCS 20 PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. PCS 40 GALVANIZED PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED PCS 305 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED PCS 305 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY FT 7,550 104. WIRE, GROUNDING #4 AWG, 3 STRAND, 5/16 DIA. FT 7,550					
91. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 75A PCS 180 92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 95. NUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP GALVANZED PCS 30 96. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED PCS 30 97. LONG, HOT DIP GALVANIZED, FORGED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA., 20" LONG, HOT DIP GALVANIZED, FORGED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP GALVANIZED 99. GALVANIZED PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED, SINGLE EYE 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY WIRE, GROUNDING #4 AWG, 3 STRAND, 5/16 DIA. FT. 7,550	90.				
92. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 7A PCS 180 93. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 80A PCS 180 94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A PCS 180 95. NUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP GALVANZED PCS 30 96. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED PCS 30 97. PIN, CROSSARM, LONG SHANK, 1" THREAD DIA., 20" LONG, HOT DIP GALVANIZED, FORGED PCS 20 PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. PCS 40 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP GALVANIZED PCS 40 99. PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED PCS 305 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED, SINGLE EYE PCS 65 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY FT 7,550 104. WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT 7,550	-	·····			
94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A 95. NUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP GALVANZED 96. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED 97. PIN, CROSSARM, LONG SHANK, 1" THREAD DIA., 20" LONG, HOT DIP GALVANIZED, FORGED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP GALVANIZED 99. PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED, SINGLE EYE 101. ROD, TAPPING, PREFORMED, #2 ACSR 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT. 7,550 WIRE, GROUNDING, 3 STRAND, 5/16 DIA.	92.			180	
94. FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A 95. NUT, THIMBLE EYE, 5/8" SINGLE EYE, HOT DIP GALVANZED 96. PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED 97. PIN, CROSSARM, LONG SHANK, 1" THREAD DIA., 20" LONG, HOT DIP GALVANIZED, FORGED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP GALVANIZED 99. PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED, SINGLE EYE 101. ROD, TAPPING, PREFORMED, #2 ACSR 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT. 7,550 WIRE, GROUNDING, 3 STRAND, 5/16 DIA.	93.			180	
95. GALVANZED PIN, CROSSARM, CLAMP TYPE, 1" THREAD DIA. HOT DIP GALVANIZED 97. LONG, HOT DIP GALVANIZED, FORGED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA., 20" LONG, HOT DIP GALVANIZED, FORGED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP PCS 40 GALVANIZED 99. PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP PCS 305 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP PCS 65 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT. 7,550	94.	FUSE, LINK, UNIVERSAL, BOTTOM HEAD, TYPE K, 8A	PCS	180	
96. DIP GALVANIZED 97. PIN, CROSSARM, LONG SHANK, 1" THREAD DIA., 20" LONG, HOT DIP GALVANIZED, FORGED PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP GALVANIZED 99. PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP GALVANIZED 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED, SINGLE EYE 101. ROD, TAPPING, PREFORMED, #2 ACSR 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT 7,550	95.		PCS	30	
PCS 20 PIN, CROSSARM, LONG SHANK, 1" THREAD DIA. 98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP PCS 40 GALVANIZED PIN, CROSSARM, STEEL, 5/8" X 10-3/4", HOT DIP PCS 305 ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED, SINGLE EYE 101. ROD, TAPPING, PREFORMED, #2 ACSR SETS 25 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT 7,550	96.		PCS	30	
98. NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP	97.		PCS	20	
99. GALVANIZED 100. ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP GALVANIZED, SINGLE EYE 101. ROD, TAPPING, PREFORMED, #2 ACSR 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY 104. WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT. 7 500	98.	NYLON THREAD, 7-7/8" X 5/8" SHANK, HOT DIP	PCS	40	
100. GALVANIZED, SINGLE EYE 101. ROD, TAPPING, PREFORMED, #2 ACSR 102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY 104. WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT. 7 500	99.		PCS	305	
102. WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16" PCS 1,050 103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY FT 7,550 104. WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT 7,500	100.	ROD, ANCHOR, THREADED, 5/8" X8', HOT DIP		65	
103. WIRE, GROUNDING #4 AWG, 3 STRAND, ALUMINUM ALLOY WIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT. 7,550	101.	1. ROD, TAPPING, PREFORMED, #2 ACSR SETS		25	
103. ALLOY FT 7,550 MIRE, GROUNDING, 3 STRAND, 5/16 DIA. FT 7,500	102.	WASHER, SQUARE, FLAT, 2-1/4" X 2-1/4" X 3/16"	PCS	1,050	
104. FT 7.500	103.		FT	7,550	
GALVANIZED	104.	WIRE, GROUNDING, 3 STRAND, 5/16 DIA. GALVANIZED	FT	7,500	

991-2117







105. WIRE, GUY, STEEL, 3/8", 7 STRAND, HIGH STRENGTH FT 5,100		5,100	
106.	WIRE, TIE ALUMINUM ALLOY #4 SOFT	FT	1,950
107.	TAPE, ELECTRICAL, BIG, 16M	PCS	200

> APPROVED BUDGET FOR THE CONTRACT : PHP 5,706,591.00 > SOURCE OF FUNDS : GENERAL FUND COST OF BIDDING DOCUMENTS : PHP 10,000.00 **BIDDING STATUS** : 1ST BIDDING

IV. Lot 4: PR-100001553 PROCUREMENT OF 3000 PCS CLASS 100KWH METERS WITH BASE

No.	Description	Unit	Required Quantity
1.	BASE, METER, CL100, 4 JAWS, 100 AMP. 600V, 1" HUB, SOCKET	PCS	3,000
2.	METER, KWH, ELECTRONIC, 1P, CL100, 2W, 240V, FM1S, SOCKET TYPE	UNITS	3,000

> APPROVED BUDGET FOR THE CONTRACT : PHP 7,350,000.00 > SOURCE OF FUNDS : GENERAL FUND > COST OF BIDDING DOCUMENTS : PHP 10,000.00 **BIDDING STATUS** : 1ST BIDDING

The schedule of the bidding activities will be as follows:

BAC ACTIVITIES	SCHEDULED DATE
Publication of Invitation to Bid	February 15, 2024 (Thursday)
Availability of Bidding Documents	February 15, 2024 (Thursday) to March 05, 2024 (Tuesday)
Pre-Bid Conference	February 23, 2024 (Friday)
Pre-Blu Comerence	09:00 AM Video Conference / Face to Face
Deadline of Submission and	March 06, 2024 (Wednesday)
Receipt of Bids/ Opening of Bid	09:00AM Video Conference
Issuance of Purchase Order	Upon Posting of the Performance Bond by the Winning Bidder

- 1. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184 otherwise known as the "Government Procurement Reform Act" and the NEA Memorandum No. 2017-019 on the Revised Procurement Guidelines and Simplified Bidding Procedures for Electric Cooperatives. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 2. Interested bidders may obtain further information from the ZAMCELCO BAC Secretariat Office and inspect the Bidding Documents at the address given below from 8:00AM to 5:00PM.

991-2117







- 3. A complete set of Bidding Documents may be acquired by interested Bidders on February 15, 2024 (Thursday) to March 05, 2024 (Tuesday) from the address given below or sent through electronic email upon payment of the applicable fee to be deposited at ZAMCELCO's Bank of Commerce Account No. 029-00-001214-7 and presentation of the deposit slip to the BAC Secretariat.
- 4. The ZAMCELCO will hold a Pre-Bid Conference on February 23, 2024 (Friday) 09:00 AM via Online Video Conference or Face to Face. Attendance of bidders in the pre-bid conference is optional except when specifically stated in the Invitation to Bid. Only those who have purchased the Bidding Documents shall be allowed to participate in the pre-bid conference and raise or submit written queries or clarifications.
- 5. Bids must be duly received by the BAC Secretariat through manual submission of two (2) hard copies of their sealed bid at the office address as indicated below on or before the deadline of receipt of bids on the bid opening date. Soft copy of their bids must also be received a day before the bid opening date but the password to be furnished on the bid opening.
- 6. All Bids shall be opened online and read in the presence of Bidders or their duly authorized representatives. Bidders shall be required to put up a Bid Security in the amount equivalent to 2% of the ABC. The Bid Security shall be in the form of cash or manager's check and submitted together with their Bids.
- 7. Only those bidders who have bought the bidding documents shall be allowed to participate in the Submission and Opening of Bids.
- 8. ZAMCELCO reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to the awarding of contract, thereby without incurring any liability to the affected bidder or bidders.
- 9. For further information, please refer to:

ZAMBOANGA CITY ELECTRIC COOPERATIVE, INC.

MCLL Highway, Brgy. Putik, Zamboanga City

SECRETARIAT

Contact No.: +63917-166-8962 Tel. No.: (062) 991-2117 Local 8640 Email Address: <u>zbac@zamcelco.com.ph</u>

BEVERY LOU L. ZAMORANO
BAC Secretariat Head

ENGR. JOSEPH A. BAZAN Chairman, BAC

991-2117

