



INVITATION TO BID NO. 2024-008

The Zamboanga City Electric Cooperative, Inc. (ZAMCELCO) through its Bids and Awards Committee (BAC), invites all interested parties to participate in the Public Bidding for the following items:

- I. **LOT 1 PR-100001879 PROCUREMENT OF VARIOUS LINE MATERIALS AND LABOR FOR THE RELOCATION OF POLES AT CURUAN-SIBUCO DPWH ROAD WIDENING PROJECT REQUESTED BY THE TECHNICAL SERVICES DEPARTMENT**

| No. | Description | Unit | Required Quantity |
|-----|--|------|-------------------|
| 1. | PROCUREMENT OF VARIOUS LINE MATERIALS FOR THE RELOCATION OF POLES AT CURUAN-SIBUCO DPWH ROAD WIDENING PROJECT REQUESTED BY THE TECHNICAL SERVICES DEPARTMENT | LOT | 1 |

- **APPROVED BUDGET FOR THE CONTRACT** : PHP 11,221,988.37
- **SOURCE OF FUNDS** : GOVERNMENT FUND
- **COST OF BIDDING DOCUMENTS** : PHP 25,000.00
- **BIDDING STATUS** : 1ST BIDDING

- II. **LOT 2 PR-100001491 ONE (1) LOT PROCUREMENT OF LINE MATERIALS AND LABOR FOR IMPLEMENTATION OF LINE EXTENSION PROJECT.**

| No. | Description | Unit | Required Quantity |
|-----|--|------|-------------------|
| 1 | PROPOSED SECONDARY LINE EXTENSION ON PROPER ROAD RIGHT OF WAY AT GALVEZ DR., STA. MARIA | Lot | 1 |
| 2 | PROPOSED RE-ROUTING SINGLE PHASE PRIMARY LINE ON PROPER ROAD RIGHT OF WAY AT MONTESINO DR., STA. MARIA | Lot | 1 |
| 3 | PROPOSED RE-ROUTING AND PRIMARY SECONDARY LINE EXTENSION AT ZONE 4, TALABAAN | Lot | 1 |
| 4 | PROPOSED RE-ROUTING OF SINGLE PHASE PRIMARY LINE ON PROPER ROAD RIGHT OF WAY AT TIMAGA BY-PASS ROAD | LOT | 1 |
| 5 | PROPOSED SECONDARY LINE EXTENSION ON PROPER ROAD RIGHT OF WAY AT FELIPE DRIVE, LOWER CABATANGAN | LOT | 1 |
| 6 | PROPOSED SECONDARY LINE EXTENSION ON PROPER ROAD RIGHT OF WAY AT POSTE DRIVE, PASONANCA | LOT | 1 |
| 7 | PROPOSED RE-ROUTING OF SINGLE PHASE PRIMARY LINE ON PROPER ROAD RIGHT OF WAY AT ZONE 4, SALAAN | LOT | 1 |

991-2117

0917-307-1412
0917-302-6629

management@zamcelco.com.ph
help_desk@zamcelco.com.ph

MCLL Highway, Putik





| | | | |
|----|--|-----|---|
| 8 | PROPOSED RE-ROUTING AND LINE EXTENSION OF SECONDARY LINE ON PROPER ROAD RIGHT OF WAY AT JOLLIROY, SATELITE DRIVE | LOT | 1 |
| 9 | PROPOSED RE-ROUTING OF SINGLE PHASE PRIMARY LINE ON PROPER ROAD RIGHT OF WAY AT FARMERS DRIVE, MAMPANG | LOT | 1 |
| 10 | PROPOSED PRIMARY-SECONDARY DISTRIBUTION LINE AT BANAHAW MARKET GOING TO CARMELITA HOAI | LOT | 1 |
| 11 | PROPOSED SECONDARY LINE EXTENSION AND RELOCATION OF MULTIPLE SAGGING SERVICE DROP LINES AT BANAAY COMPOUND, LUNZURAN | LOT | 1 |
| 12 | PROPOSED RE-ROUTING OF SECONDARY LINE ON PROPER ROAD RIGHT OF WAY AT SUN STREET, JOLLIROY DRIVE | LOT | 1 |
| 13 | PROPOSED PRIMARY LINE EXTENSION AT SHERWOOD VILLAGE ZAMBOWOOD | LOT | 1 |
| 14 | PROPOSED PRIMARY LINE EXTENSION AT ZONE 8, MARIKI, ZAMBOWOOD | LOT | 1 |
| 15 | PROPOSED SECONDARY LINE EXTENSION AT ZAMBOWOOD URBAN POOR ASSO. INC. (ZUPAI) ZONE 7C, ZAMBOWOOD | LOT | 1 |

- APPROVED BUDGET FOR THE CONTRACT : PHP 4,640,514.70
- SOURCE OF FUNDS : GENERAL FUND
- COST OF BIDDING DOCUMENTS : PHP 5,000.00
- BIDDING STATUS : 2ND BIDDING

III. LOT 3 PR-100001592 PROCUREMENT OF ONE (1) LOT VARIOUS LINE MATERIALS REQUESTED BY THE NETWORK SERVICES DEPARTMENT

| No. | Description | Unit | Required Quantity |
|-----|--|------|-------------------|
| 1 | ANCHOR, EXPANDING 8-WAYS, HOT DIP GALVANIZED | PC/S | 65 |
| 2 | Shackle, Anchor, 3/4", DROP FORGED STEEL, 69KV | PC/S | 5 |
| 3 | Bolt, Carriage 3/8" x 6", Hot Dip Galv. | Pc/s | 67 |
| 4 | Bolt, Double-Arming 5/8" x 18", Hot Dip Galv. | Pc/s | 20 |
| 5 | Bolt, Double-Arming, 5/8" x 20", Hot Dip Galv. | Pc/s | 32 |
| 6 | Bolt, Double-Arming, 5/8" x 22", Hot Dip Galv. | Pc/s | 36 |
| 7 | Bolt, Double-Arming, 5/8" x 24", Hot Dip Galv. | Pc/s | 80 |
| 8 | Bolt, Double-Upset, 5/8" x 9", Hot Dip Galv. | Pc/s | 15 |
| 9 | Bolt, Double-Upset, 5/8" x 12", Hot Dip Galv. | Pc/s | 22 |
| 10 | Bolt, Double-Upset, 5/8" x 14", Hot Dip Galv. | Pc/s | 15 |
| 11 | Bolt, Double-Upset, 5/8" x 16", Hot Dip Galv. | Pc/s | 13 |
| 12 | Bolt, Machine, 1/2" x 6", Hot Dip Galv. | Pc/s | 372 |
| 13 | Bolt, Machine, 1/2" x 8", Hot Dip Galv. | Pc/s | 40 |
| 14 | Bolt, Machine, 1/2" x 10", Hot Dip Galv. | Pc/s | 23 |
| 15 | Bolt, Machine, 5/8" x 4", Hot Dip Galv. | Pc/s | 28 |
| 16 | Bolt, Machine, 5/8" x 6", Hot Dip Galv. | Pc/s | 58 |

991-2117

0917-307-1412
0917-302-6829

management@zamcelco.com.ph
help_desk@zamcelco.com.ph

MCLL Highway, Putik



THE NEW ZAMCELCO

Zamboanga City Electric Cooperative, Inc.

| | | | |
|----|--|-------|-------|
| 17 | Bolt, Machine, 5/8" x 8", Hot Dip Galv. | Pc/s | 63 |
| 18 | Bolt, Machine, 5/8" x 9", Hot Dip Galv. | Pc/s | 125 |
| 19 | Bolt, Machine, 5/8" x 10", Hot Dip Galv. | Pc/s | 308 |
| 20 | Bolt, Machine, 5/8" x 12", Hot Dip Galv. | Pc/s | 210 |
| 21 | Bolt, Machine, 5/8" x 14", Hot Dip Galv. | Pc/s | 53 |
| 22 | Bolt, Machine, 5/8" x 18", Hot Dip Galv. | Pc/s | 75 |
| 23 | Bolt, Oval Eye 5/8" x 10", Hot Dip Galv. | Pc/s | 164 |
| 24 | Bolt, Oval Eye, 5/8" x 12", Hot Dip Galv. | Pc/s | 140 |
| 25 | Bolt, Oval Eye, 5/8" x 14", Hot Dip Galv. | Pc/s | 100 |
| 26 | Bolt, Oval Eye, 5/8" x 16", Hot Dip Galv. | Pc/s | 80 |
| 27 | Bolt, Single Upset, 5/8" x 9", Hot Dip Galv. | Pc/s | 37 |
| 28 | Bolt, Single Upset, 5/8" x 12", Hot Dip Galv. | Pc/s | 48 |
| 29 | Bolt, Single Upset, 5/8" x 18", Hot Dip Galv. | Pc/s | 5 |
| 30 | Bolt, Thimble Eye, 5/8" x 9", Straight Type, Hot Dip Galv. | Pc/s | 14 |
| 31 | Bolt, Thimble Eye, 5/8" x 10", Hot Dip Galv. | Pc/s | 10 |
| 32 | Bolt, Thimble Eye, 5/8" x 12", Hot Dip Galv. | Pc/s | 13 |
| 33 | Bolt, Thimble Eye, 5/8" x 14", Hot Dip Galv. | Pc/s | 13 |
| 34 | Brace, Crossarm, 18 Drop 60 Span, Hot Dip Galv. | Pc/s | 68 |
| 35 | Brace, Crossarm, Flat, 28", Hot Dip Galv. | Pc/s | 65 |
| 36 | Brace, Crossarm, Diagonal, 7', Steel, Hot Dip Galv. | Pc/s | 68 |
| 37 | Brace, Sidearm, Steel, 60' | Pc/s | 88 |
| 38 | Bracket, Secondary Without Spool | Pc/s | 170 |
| 39 | Bracket, Mounting For Fuse Cut-out & Arrester | Pc/s | 185 |
| 40 | Clamp, Anchor Bonding, Single Eye Rod, 5/8" | Pc/s | 65 |
| 41 | Clamp, Dead-end Strain, #2 ACSR | Pc/s | 58 |
| 42 | Clamp, Dead-end Strain, #4/0 ACSR | Pc/s | 50 |
| 43 | Clamp, Guy, Straight, 3-Bolt, Heavy Duty Steel, Hot Dip Galv. | Pc/s | 150 |
| 44 | Clamp, Hotline, #2 - 4/0 ACSR | Pc/s | 255 |
| 45 | Clamp, Loop Dead-End, #2 ACSR | Pc/s | 60 |
| 46 | Clamp, Loop Dead-End, #2/0 ACSR | Pc/s | 138 |
| 47 | Clamp, Loop Dead-End, #1/0 ACSR | Pc/s | 95 |
| 48 | Clamp, Pole Mounting Adapter 5-6, Hot Dip Galv. Single-Support | Pc/s | 60 |
| 49 | Clamp, Pole Mounting Adapter, 6-7, Hot Dip Galv. Single Support | Pc/s | 60 |
| 50 | Clamp, Pole Mounting Adapter, 7-8, Hot Dip Galv., Single Support | Pc/s | 45 |
| 51 | Clamp, Pole Mounting Adapter, 8-9, Hot Dip Galv., Single Support | Pc/s | 38 |
| 52 | Clamp, Pole Mounting Adapter, 9-10, Hot Dip Galv. | Pc/s | 30 |
| 53 | Clamp, Pole Mounting Adapter, 10-11, Hot Dip Galv., Single Support | Pc/s | 30 |
| 54 | Clamp, Pole Mounting Adapter, 11-12, Hot Dip Galv., Single Support | Set/s | 20 |
| 55 | Clamp, Pole Mounting Adapter, 10-11, Hot Dip Galv., Double-Support | Set/s | 5 |
| 56 | Clamp, Pole Mounting Adapter, 12-13, Hot Dip Galv., Double-Support | Set/s | 5 |
| 57 | Clamp, Suspension, #4 - #4/0 ACSR | Pc/s | 5 |
| 58 | Clevis, Secondary, Swinging w/a Spool, Hot Dip Galv. | Pc/s | 375 |
| 59 | Connector, Compression, #6 - #4 ACSR Run to #6-#4 | Pc/s | 1,500 |
| 60 | Connector, Compression, YHO 150, #3 - #1/0 - Tap #6 - #2 | Pc/s | 2,345 |
| 61 | Connector, Compression, YHD 200, #1/0 - #2/0 - Tap #6-#2 | Pc/s | 700 |
| 62 | Connector, Compression, YHD 250, #1/0 - Tap #6 - #2 | Pc/s | 925 |
| 63 | Connector, Compression, YHD 300, #1/0 - #2/0 - Tap #1/0 - #2/0 | Pc/s | 500 |
| 64 | Connector, Compression, YHD 350, #3/0 - #4/0 - Tap #1 - #2/0 | Pc/s | 805 |

991 2117

0917-307-1412
0917-509-6629

management@zamcelco.com.ph
help-desk@zamcelco.com.ph

MCLL Highway, Patik



THE NEW ZAMCELCO

Zamboanga City Electric Cooperative, Inc.

| | | | |
|-----|---|-------|-------|
| 65 | Connector, Compression, YHD 400, #2/0 - #4/0 - Tap #2/0 - #4/0 | Pc/s | 610 |
| 66 | Connector, Wedge Type, #4/0 - #4/0 ACSR | Pc/s | 95 |
| 67 | Crossarm, Steel, 3" x 4" x 8', 3mm, Hot Dip Galv. | Pc/s | 110 |
| 68 | Crossarm, Steel, 3" x 4" x 10', 3mm, Hot Dip Galv. | Pc/s | 75 |
| 69 | Fuse, Cut-out and Arrester Combination, 15KV, Class 100 | Set/s | 100 |
| 70 | Fuse, Cut-out and Arrester Combination, 15KV, Class 200 | Set/s | 85 |
| 71 | Insulator, Pin-Type, HDPE, ANSI, Class 55-4, 15kV | Pc/s | 255 |
| 72 | Insulator, Spool, 1-3/4", ANSI, Class 53-2 | Pc/s | 700 |
| 73 | Insulator, Spool, 3", ANSI, Class 53-4 | Pc/s | 180 |
| 74 | Insulator, Suspension, 4 Shed, Polymer, 15kV | Pc/s | 165 |
| 75 | Fuse, Link, Universal, Bottom Head, Type K, 10A | Pc/s | 180 |
| 76 | Fuse, Link, Universal, Bottom Head, Type K, 12 A | Pc/s | 180 |
| 77 | Fuse, Link, Universal, Bottom Head, Type K, 15A | Pc/s | 180 |
| 78 | Fuse, Link, Universal, Bottom Head, Type K, 20A | Pc/s | 180 |
| 79 | Fuse, Link, Universal, Bottom Head, Type K, 25A | Pc/s | 180 |
| 80 | Fuse, Link, Universal, Bottom Head, Type K, 30 A | Pc/s | 180 |
| 81 | Fuse, Link, Universal, Bottom Head, Type K, 35 A | Pc/s | 180 |
| 82 | Fuse, Link, Universal, Bottom Head, Type K, 3 A | Pc/s | 180 |
| 83 | Fuse, Link, Universal, Bottom Head, Type K, 40A | Pc/s | 180 |
| 84 | Fuse, Link, Universal, Bottom Head, Type K, 45 A | Pc/s | 180 |
| 85 | Fuse, Link, Universal, Bottom Head, Type K, 4 A | Pc/s | 180 |
| 87 | Fuse, Link, Universal, Bottom Head, Type K, 50A | Pc/s | 180 |
| 88 | Fuse, Link, Universal, Bottom Head, Type K, 5 A | Pc/s | 180 |
| 89 | Fuse, Link, Universal, Bottom Head, Type K, 60A | Pc/s | 180 |
| 90 | Fuse, Link, Universal, Bottom Head, Type K, 65 | Pc/s | 180 |
| 91 | Fuse, Link, Universal, Bottom Head, Type K, 6A | Pc/s | 180 |
| 92 | Fuse, Link, Universal, Bottom Head, Type K, 75A | Pc/s | 180 |
| 93 | Fuse, Link, Universal, Bottom Head, Type K, 7A | Pc/s | 180 |
| 94 | Fuse, Link, Universal, Bottom Head, Type K, 80A | Pc/s | 180 |
| 95 | Fuse, Link, Universal, Bottom Head, Type K, 8A | Pc/s | 180 |
| 96 | Nut, Thimble Eye, 5/8" Single Eye, Hot Dip Galv. | Pc/s | 30 |
| 97 | Pin, Crossarm, Clamp Type, 1" Thread Dia. Hot Dip Galvanized | Pc/s | 30 |
| 98 | Pin, Crossarm, Long Shank, 1" Thread Dia. Hot Dip Galvanized, Forged | Pc/s | 20 |
| 99 | Pin, Crossarm, Long Shank, 1" Thread Dia. Nylon Thread, 7-7/8" x 5/8" Shank, Hot Dip Galvanized | Pc/s | 40 |
| 100 | Pin, Crossarm, Steel, 5/8" x 10-3/4", Hot Dip Galv. | Pc/s | 305 |
| 101 | Rod, Anchor, Threaded, 5/8" x 8', Hot Dip Galv., Single Eye | Pc/s | 65 |
| 102 | Rod, Tapping, Performed, #2 ACSR | Set/s | 25 |
| 103 | Washer, Square, Flat, 2-1/4" x 2-1/4" x 3/16" | Pc/s | 1,050 |
| 104 | Wire, Grounding #4 AWG, 3 Strand, Aluminum Alloy | Ft | 7,550 |
| 105 | Wire, Grounding, 3 Strand, 5/16 Dia. Galv. | Ft | 7,500 |
| 106 | Wire, Guy, Steel, 3/8", 7 Strand, High Strength | Ft | 5,100 |
| 107 | Wire, Tie Aluminum Alloy #4 Soft | Ft | 1,950 |
| 108 | Tape, Electrical, Big, 16M | Pc/s | 200 |

- **APPROVED BUDGET FOR THE CONTRACT** : PHP 5,706,591.00
- **SOURCE OF FUNDS** : GENERAL FUND
- **COST OF BIDDING DOCUMENTS** : PHP 10,000.00
- **BIDDING STATUS** : 2ND BIDDING

991-2117

0917-307-1412
0917-309-6829

management@zamcelco.com.ph
help_desk@zamcelco.com.ph

MCLL Highway, Putik



The schedule of the bidding activities will be as follows:

| BAC ACTIVITIES | SCHEDULED DATE |
|--|--|
| Publication of Invitation to Bid | August 30, 2024 (Friday) |
| Availability of Bidding Documents | August 30, 2024 (Friday) to September 18, 2024 (Wednesday) |
| Pre-Bid Conference | September 06, 2024 (Friday); 9:00 AM |
| Deadline of Submission and Receipt of Bids/ Opening of Bid | September 18, 2024 (Wednesday); 9:00 AM |
| Issuance of Purchase Order | Upon Posting of the Performance Bond by the Winning Bidder |

- Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184 otherwise known as the "Government Procurement Reform Act" and the NEA Memorandum No. 2017-019 on the Revised Procurement Guidelines and Simplified Bidding Procedures for Electric Cooperatives. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- Interested bidders may obtain further information from the ZAMCELCO BAC Secretariat Office and inspect the Bidding Documents at the address given below from 8:00AM to 5:00PM.
- A complete set of Bidding Documents may be acquired by interested Bidders on August 30, 2024 (Friday) to September 18, 2024 (Wednesday) from the address given below or sent through electronic email upon payment of the applicable fee to be deposited at ZAMCELCO's Bank of Commerce Account No. 029-00-001214-7 and presentation of the deposit slip to the BAC Secretariat.
- The ZAMCELCO will hold a Pre-Bid Conference on September 06, 2024 (Friday) 09:00 AM via Online Video Conference or Face to Face. Attendance of bidders in the pre-bid conference is optional except when specifically stated in the Invitation to Bid. Only those who have purchased the Bidding Documents shall be allowed to participate in the pre-bid conference and raise or submit written queries or clarifications.
- Bids must be duly received by the BAC Secretariat through manual submission of two (2) hard copies of their sealed bid at the office address as indicated below on or before the deadline of receipt of bids on the bid opening date. Soft copy of their bids must also be received a day before the bid opening date but the password to be furnished on the bid opening.
- All Bids shall be opened online and read in the presence of Bidders or their duly authorized representatives. Bidders shall be required to put up a Bid Security in the amount equivalent to 2% of the ABC. The Bid Security shall be in the form of cash or manager's check and submitted together with their Bids.
- Only those bidders who have bought the bidding documents shall be allowed to participate in the Submission and Opening of Bids.

091-7117

0917-207-1412
0917-302-6629

management@zamcelco.com.ph
help_desk@zamcelco.com.ph


MCLL Highway, Putik



THE NEW ZAMCELCO
Zamboanga City Electric Cooperative, Inc.

8. ZAMCELCO reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to the awarding of contract, thereby without incurring any liability to the affected bidder or bidders.
9. For further information, please refer to:

ZAMBOANGA CITY ELECTRIC COOPERATIVE, INC.
MCLL Highway, Brgy. Putik, Zamboanga City
SECRETARIAT
Contact No.: +63917-166-8962
Tel. No.: (062) 991-2117 Local 8640
Email Address: zbac@zamcelco.com.ph




BEVERLY LOU ZAMORANO
BAC Secretariat Head

(SGD) ATTY. ROMMEL S. AGAN
Chief Management Officer


ENGR. JOHN REX A. PALAD
Chairman, BAC

(SGD) ENGR. GANNYMEDE B. TIU
General Manager

991-2117 

0917-307-1412 
0917-309-6629 

management@zamcelco.com.ph 
help-desk@zamcelco.com.ph 

MCLL Highway, Putik, 